



No. 915

**HUTTIG
MANUFACTURING CO.
MUSCATINE, IOWA.**

Digitized by



**ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL**
www.apti.org


**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Alan O'Bright

We Manufacture All Goods Shown In This Catalogue



MAIN PLANT AT MUSCATINE, IOWA

C o n s i d e r
Quality and Service
When Placing
Your Orders

HUTTIG
MANUFACTURING
COMPANY

M A K E R S
of
HIGH - GRADE
SASH, DOORS
and
GENERAL MILLWORK

MUSCATINE, IOWA
U. S. A.

CATALOGUE NO. 915

OFFICIAL GRADES, SASH, DOORS AND BLINDS

Adopted January 28, 1914, by the Wholesale Sash, Door and Blind Manufacturers' Association of the Northwest

EFFECTIVE APRIL 1, 1914

DOORS.

AAA. Oil Finish Doors.—Material for AAA oil Finish Doors must be Clear, no white sap admitted. Workmanship must be good.

AA. Oil Finish Doors.—Material for AA oil Finish Doors must be Clear, with the exception that white sap will be admitted, not to exceed twenty-five (25) per cent. of the face of any one piece. Workmanship must be good.

No. 1 Quality. Material in No. 1 Doors must be Clear, with the exception that water stains and small pin knots not exceeding one fourth ($\frac{1}{4}$) inch in diameter may be admitted. No piece to contain more than two (2) such defects and no door more than five (5) such defects on each side; white sap not considered a defect. Workmanship must be good.

No. 2 Quality. Material in No. 2 Doors may contain knots not to exceed one (1) inch in diameter, and blue sap showing on both sides not to exceed fifty (50) per cent in any one piece of the door and gum spots showing on one (1) side of a piece only and other slight defects, shall not exceed ten (10) in number on each side and each white pine stile, bottom and lock rail must contain at least one (1) and not to exceed three (3) such defects; plugs admitted and not regarded as a defect. Slight defects in workmanship admitted.

No. 3 Quality. Material for No. 3 Doors may contain all stained sap and small worm holes and fine shake; also knots not exceeding one and three-fourths ($1\frac{3}{4}$) inches in diameter. Twenty (20) defects may be allowed on each side, also slight defects in workmanship. Each piece of white pine in a No. 3 Door must contain a defect. Not more than six (6) defects allowed in any one piece.

No. 4 Quality. No. 4 Doors are regarded as a cull door and must contain large coarse knots and may contain rot, worm holes, shake and other serious defects.

A standard door may be through tennon, blind tennon or doweled.

WINDOWS.

Check Rail Windows may contain two (2) knots three-eighths ($\frac{3}{8}$) inch in diameter or one red knot five-eighths ($\frac{5}{8}$) inch in diameter in each piece of window. White sap and not over twenty-five (25) per cent blue sap may be admitted in any one window. Workmanship must be good.

Plain Rail Windows and Sash may contain blue sap and small knots.

BLINDS.

No. 1 Outside Blinds for paint must be made of sound lumber and may contain small sound pin knots, water stain and white sap, also twenty-five (25) per cent of blue sap may be admitted. Slight imperfections in workmanship also admitted.

No. 2 Outside Blinds must be made of sound stock which may contain sound knots up to five-eighths ($\frac{5}{8}$) inch in diameter and any amount of either white or blue sap. Slight imperfections in workmanship admitted. Inside Blinds must be made of clear lumber suitable for oil finish. Workmanship must be good.

WOODS ADMISSIBLE.

Woods other than Michigan, Wisconsin and Minnesota or Western Pine shall be admitted in Doors, Blinds and Windows.

DIRECTIONS FOR ORDERING.

Time, Annoyance and Expense can be saved by Noting and Following Closely the Suggestions Below: We will understand all orders and inquiries as calling for Regular Western Style and Sizes as described in this catalog, unless specially ordered otherwise, or unless covered by standing instructions to the contrary.

Be explicit in ordering. Do not assume that we know what you want.

Always give the width first, length or height second, then thickness.

Always use inches to designate glass sizes, and feet and inches for openings or outside measurements.

SASH AND WINDOW.

The term "Sash" indicates only one piece to fill opening.

The Term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening (unless regular stock) and thickness. State whether open or glazed, and if glazed whether single or double strength.

If a window whether check or plain rail.

If segment or circle head give number of style desired (see page 46) and radius of circle or segment if not regular. When not otherwise specified we will furnish Circle Head made Style No. 2 with a radius one-half the width of the sash, less the width of the stile, and for Segment Head made Style No. 4 with a radius the width of the sash, less the width of the stile.

When an odd sash or window is ordered always give both glass size and number of lights and outside opening and if possible send sketch.

If glass sizes only are given we will understand that regular stock widths of stiles, rails and bars are required. Note—All windows and sash are understood to be glazed unless ordered open specifically. All glazed windows are primed or oiled one coat unless otherwise ordered.

DOORS.

In the absence of other instructions we will consider an order or inquiry for doors to be the Standard Four Panel O G Door No. 1 quality.

State width, height and thickness, number of panels and arrangement of same and quality.

State style of sticking unless O G is desired.

If moulded state whether flush or raised mould one or two sides.

If oil finish state whether machine smoothed or hand smoothed is desired.

If odd send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels unless specifically ordered otherwise.

OUTSIDE BLINDS.

We will understand all orders for blinds to call for Regular Western Stock Styles and Sizes, $1\frac{1}{4}$ inch rolling slats unless specifically ordered otherwise.

State size and number of lights of window for which blinds are ordered, also thickness of blind, and whether all rolling slats (R. S.), stationary slats (S. S.), or half rolling and half stationary ($\frac{1}{2}$ R.S. $\frac{1}{2}$ S.S.)

If odd give outside opening, thickness, arrangement of slats and send sketch.

The regular stock blind is the width of the window to be covered and one inch longer.

Blinds for brick buildings must be so specified, and will in the absence of additional instructions be made two inches longer than window opening.

A blind indicates a single piece to fill opening.

A pair of blinds indicates two pieces to fold together to fill opening.

A set of blinds indicates more than two pieces and should always be accompanied by sketch.

INSIDE BLINDS.

Inside blinds we will understand are to be made four-fold, $1\frac{1}{4}$ inch thick, outside panel and inside slats, made to be cut in the center unless otherwise stated.

Give exact outside opening always, thickness, number of folds and arrangement of panels or slats (see page 84).

If cut twice or more specify height from top to each cut.

If wanted to fold into box give width of outside folds.

If not the usual arrangement of panels or slats always send sketch.

FACTORY WINDOWS

LISTED SIZES OF
Fifteen Light Plain Rail Windows
1 1/8 Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$2.15	\$5.35	2- 1 1/2 x 4- 3 1/8
8 x 10	2.28	5.95	2- 4 1/2 x 4- 8 1/8
12	2.44	6.55	5- 6 1/8
14	2.57	7.20	6- 4 1/8
9 x 12	2.58	6.95	2- 7 1/2 x 5- 6 1/8
13	2.59	7.30	5-11 1/8
14	2.67	7.70	6- 4 1/8
15	2.76	8.00	6- 9 1/8
16	2.82	8.25	7- 2 1/8
10 x 12	2.58	7.40	2-10 1/2 x 5- 6 1/8
14	2.72	8.15	6- 4 1/8
15	2.81	8.40	6- 9 1/8
16	2.87	9.20	7- 2 1/8
12 x 14	2.91	9.45	6- 4 1/8
16	3.09	10.35	7- 2 1/8

LISTED SIZES OF
Fifteen Light Check Rail Windows
1 1/8 Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$2.55	\$6.30	2- 4 1/2 x 4- 8 1/8
12	2.74	6.90	5- 6 1/8
14	2.90	7.60	6- 4 1/8
9 x 12	2.87	7.35	2- 7 1/2 x 5- 6 1/8
13	2.94	7.75	5-11 1/8
14	3.03	8.15	6- 4 1/8
16	3.21	8.75	7- 2 1/8
10 x 12	2.94	7.85	2-10 1/2 x 5- 6 1/8
14	3.10	8.60	6- 4 1/8
15	3.21	8.95	6- 9 1/8
16	3.28	9.70	7- 2 1/8
18	3.46	10.50	8- 0 1/8
12 x 14	3.34	10.00	3- 4 1/2 x 6- 4 1/8
16	3.51	10.85	7- 2 1/8
18	3.69	11.85	8- 0 1/8

Eighteen Light Check Rail Windows

1 1/8 Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
8 x 10	\$2.99	\$7.50	2- 4 1/2 x 5- 7 1/8
12	3.24	8.30	6- 7 1/8
14	3.40	9.05	7- 7 1/8
9 x 12	3.36	8.80	2- 7 1/2 x 6- 7 1/8
13	3.45	9.25	7- 1 1/8
14	3.53	9.65	7- 7 1/8
16	3.78	10.45	8- 7 1/8
10 x 12	3.44	9.35	2-10 1/2 x 6- 7 1/8
14	3.61	10.25	7- 7 1/8
15	3.78	10.95	8- 1 1/8
16	3.86	11.60	8- 7 1/8
18	4.03	12.50	9- 7 1/8
12 x 14	3.85	11.85	3- 4 1/2 x 7- 7 1/8
16	4.11	12.95	8- 7 1/8
18	4.28	14.05	9- 7 1/8

Twenty Light Check Rail Windows

1 1/8 Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$2.86	\$6.75	2-4 1/4 x 3-10 1/8
7 x 9	3.10	7.50	2-8 1/4 x 4- 3 1/8
8 x 10	3.27	8.40	3-0 1/4 x 4- 8 1/8
12	3.47	9.15	5- 6 1/8
14	3.63	10.00	6- 4 1/8
9 x 12	3.65	9.75	3-4 1/4 x 5- 6 1/8
14	3.82	10.75	6- 4 1/8
10 x 12	3.76	10.40	3-8 1/4 x 5- 6 1/8
14	3.93	11.35	6- 4 1/8
16	4.12	12.80	7- 2 1/8
18	4.32	13.80	8- 0 1/8
12 x 14	4.23	13.20	4-4 1/4 x 6- 4 1/8
16	4.42	14.35	7- 2 1/8
18	4.62	15.60	8- 0 1/8

Twenty-Four Light Check Rail Windows

1 1/8 Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$3.33	\$8.10	2-4 1/4 x 4-7 1/8
7 x 9	3.62	9.05	2-8 1/4 x 5-0 1/8
8 x 10	3.81	10.05	3-0 1/4 x 5-7 1/8
12	4.06	11.00	6-7 1/8
14	4.24	11.90	7-7 1/8
9 x 12	4.26	11.70	3-4 1/4 x 6-7 1/8
14	4.44	12.80	7-7 1/8
10 x 12	4.37	12.45	3-8 1/4 x 6-7 1/8
14	4.55	13.55	7-7 1/8
16	4.81	15.35	8-7 1/8
18	5.01	16.55	9-7 1/8
12 x 14	4.85	15.75	4-4 1/4 x 7-7 1/8
16	5.13	17.15	8-7 1/8
18	5.32	18.60	9-7 1/8

Thirty Light Check Rail Windows

1 1/8 Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$4.08	\$10.15	2-11 x 4-7 1/8
7 x 9	4.43	11.35	3- 4 x 5-1 1/8
8 x 10	4.67	12.60	3- 9 x 5-7 1/8
12	4.98	13.70	6-7 1/8
14	5.13	14.90	7-7 1/8
9 x 12	5.15	14.55	4- 2 x 6-7 1/8
14	5.33	15.90	7-7 1/8
10 x 12	5.30	15.50	4- 7 x 6-7 1/8
14	5.50	16.85	7-7 1/8
16	5.78	19.15	8-7 1/8
18	5.99	20.55	9-7 1/8
12 x 14	5.80	19.55	5- 5 x 7-7 1/8
16	6.08	21.20	8-7 1/8
18	6.29	21.95	9-7 1/8

For Larger Sizes Than Listed and Sash Extras See Pages 16 and 17

FACTORY WINDOWS

LISTED SIZES OF

Thirty-Two Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick.

LISTED SIZES OF

Thirty-Six Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening	Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$4.30	\$10.95	2-4 $\frac{3}{4}$ x 5-11 $\frac{1}{2}$	6 x 8	\$4.81	\$12.50	2-4 $\frac{3}{4}$ x 6-7 $\frac{1}{2}$
7 x 9	4.67	12.20	2-8 $\frac{3}{4}$ x 6-7 $\frac{1}{2}$	7 x 9	5.20	13.90	2-8 $\frac{3}{4}$ x 7-4 $\frac{1}{2}$
8 x 10	4.90	13.55	3-0 $\frac{3}{4}$ x 7-3 $\frac{1}{2}$	8 x 10	5.46	15.35	3-0 $\frac{3}{4}$ x 8-1 $\frac{1}{2}$
12	5.23	14.75	8-7 $\frac{1}{2}$	12	5.74	16.65	9-7 $\frac{1}{2}$
14	5.49	16.10	9-11 $\frac{1}{2}$	14	6.06	18.15	11-1 $\frac{1}{2}$
9 x 12	5.43	15.60	3-4 $\frac{3}{4}$ x 8-7 $\frac{1}{2}$	9 x 12	5.99	17.60	3-4 $\frac{3}{4}$ x 9-7 $\frac{1}{2}$
14	5.69	17.15	9-11 $\frac{1}{2}$	14	6.28	19.30	11-1 $\frac{1}{2}$
10 x 12	5.55	16.55	3-8 $\frac{3}{4}$ x 8-7 $\frac{1}{2}$	10 x 12	6.12	18.65	3-8 $\frac{3}{4}$ x 9-7 $\frac{1}{2}$
14	5.81	18.10	9-11 $\frac{1}{2}$	14	6.41	20.40	11-1 $\frac{1}{2}$
16	6.06	20.50	11-3 $\frac{1}{2}$	16	6.69	23.10	12-7 $\frac{1}{2}$
18	6.33	22.00	12-7 $\frac{1}{2}$	18	6.98	24.85	14-1 $\frac{1}{2}$
12 x 14	6.14	21.00	4-4 $\frac{3}{4}$ x 9-11 $\frac{1}{2}$	12 x 14	6.75	23.65	4-4 $\frac{3}{4}$ x 11-1 $\frac{1}{2}$
16	6.39	22.70	11-3 $\frac{1}{2}$	16	7.02	25.60	12-7 $\frac{1}{2}$
18	6.65	24.55	12-7 $\frac{1}{2}$	18	7.32	26.75	14-1 $\frac{1}{2}$

Forty Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
6 x 8	\$5.24	\$13.95	2-11 x 5-11 $\frac{1}{2}$
7 x 9	5.68	15.50	3-4 x 6-7 $\frac{1}{2}$
8 x 10	5.97	17.15	3-9 x 7-3 $\frac{1}{2}$
12	6.32	18.60	8-7 $\frac{1}{2}$
14	6.60	20.20	9-11 $\frac{1}{2}$
9 x 12	6.54	19.65	4-2 x 8-7 $\frac{1}{2}$
14	6.82	21.50	9-11 $\frac{1}{2}$
10 x 12	6.72	20.85	4-7 x 8-7 $\frac{1}{2}$
14	6.99	22.70	9-11 $\frac{1}{2}$
16	7.26	25.75	11-3 $\frac{1}{2}$
18	7.54	27.60	12-7 $\frac{1}{2}$
12 x 14	7.30	26.30	5-5 x 9-11 $\frac{1}{2}$
16	7.58	28.40	11-3 $\frac{1}{2}$
18	7.86	30.75	12-7 $\frac{1}{2}$

Factory Sash or Windows

For Factory Use

Implies an inferior quality of material for paint, permitting the use of reasonable defects of any nature not weakening the sash.



LISTED SIZES OF

TWELVE LIGHT WINDOWS



Plain Rail

1 1/8 Inches Thick.

Check Rail

1 1/8 Inches Thick.

Size of Glass	List Open	List Gla. S. S.	Size of Opening	Size of Glass	List Open	List Gla. S. S.	Size of Opening
7 x 9	\$1.76	\$4.35	2- 1 x 3- 6	8 x 10	\$2.02	\$4.95	2- 4 1/2 x 3-10
8 x 10	1.79	4.60	2- 4 x 3-10	12	2.21	5.75	4- 6
12	1.95	5.10	4- 6	9 x 12	2.26	5.80	2- 7 1/2 x 4- 6
14	2.06	5.90	5- 2	13	2.38	6.45	4-10
9 x 12	1.97	5.35	2- 7 x 4- 6	14	2.40	6.70	5- 2
13	2.06	5.95	4-10	10 x 12	2.32	6.15	2-10 1/2 x 4- 6
14	2.09	6.00	5- 2	14	2.46	6.80	5- 2
15	2.36	6.75	5- 6	16	2.82	7.95	5-10
10 x 12	2.03	5.75	2-10 x 4- 6	18	3.02	9.05	6- 6
14	2.15	6.30	5- 2	12 x 14	2.96	8.25	3- 4 1/2 x 5- 2
15	2.40	7.10	5- 6	16	3.07	8.95	5-10
16	2.45	7.30	5-10	18	3.26	10.25	6- 6
18	2.60	8.30	6- 6	20	3.38	10.90	7- 2
12 x 14	2.50	7.90	3- 4 x 5- 2				
16	2.63	8.60	5-10				
18	2.78	9.40	6- 6				



EIGHT LIGHT WINDOWS



Plain Rail

1 1/8 Inches Thick.

Check Rail

1 1/8 Inches Thick.

Size of Glass	List Open	List Gla. S. S.	Size of Opening	Size of Glass	List Open	List Gla. S. S.	Size of Opening
8 x 10	\$1.48	\$3.60	1- 8 1/2 x 3-10	8 x 10	\$1.75	\$4.15	1- 9 x 3-10
12	1.59	4.10	4- 6	12	1.83	4.50	4- 6
9 x 12	1.64	4.30	1-10 1/2 x 4- 6	9 x 12	1.83	4.60	1-11 x 4- 6
14	1.74	4.80	5- 2	14	1.97	5.10	5- 2
10 x 12	1.65	4.35	2- 0 1/2 x 4- 6	10 x 12	1.87	4.65	2- 1 x 4- 6
14	1.77	4.80	5- 2	14	2.01	5.15	5- 2
16	2.04	5.55	5-10	16	2.18	6.05	5-10
12 x 14	1.86	5.40	2- 4 1/2 x 5- 2	12 x 14	2.13	5.80	2- 5 x 5- 2
16	2.14	6.15	5-10	16	2.24	6.30	5-10
18	2.30	7.05	6- 6	18	2.66	7.60	6- 6
				14 x 16	2.60	7.60	2- 9 x 5-10
				18	2.80	8.25	6- 6
				20	2.92	8.85	7- 2



FOUR LIGHT WINDOWS

Check Rail

1 1/8 Inches Thick.

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening	Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
10 x 16	\$1.55	\$3.80		2-1 x 3- 2	13 1/2 x 26	\$1.95	\$6.15		2-7 1/2 x 4-10
18	1.58	4.00		3- 6	28	2.05	6.85		5- 2
20	1.60	4.20		3-10	30	2.09	7.10		5- 6
22	1.64	4.40		4- 2	14 x 18	1.85	4.90		2-9 x 3- 6
24	1.67	4.40		4- 6	20	1.85	5.10		3-10
26	1.71	5.00		4-10	22	1.88	5.65		4- 2
28	1.81	5.15		5- 2	24	1.91	5.95		4- 6
30	1.93	5.60		5- 6	26	1.95	6.15		4-10
32	2.01	6.05		5-10	28	2.05	6.85		5- 2
12 x 16	1.61	4.15		2-5 x 3- 2	30	2.09	7.10		5- 6
18	1.64	4.40		3- 6	32	2.15	7.25	\$9.60	5-10
20	1.65	4.55		3-10	34	2.27	7.85	10.15	6- 2
22	1.74	4.85		4- 2	38	2.33	8.00	10.70	6- 6
24	1.78	5.10		4- 6	38	2.73	8.95	11.50	6-10
26	1.82	5.30		4-10	40	2.80	9.40	12.15	7- 2
28	1.92	5.70		5- 2	15 x 24	2.14	6.40	7.90	2-11 x 4- 6
30	1.97	6.10		5- 6	26	2.19	7.00	9.00	4-10
32	2.09	6.40		5-10	28	2.30	7.40	9.45	5- 2
34	2.21	7.05		6- 2	30	2.36	7.70	9.90	5- 6
36	2.29	7.35		6- 6	32	2.40	8.00	10.35	5-10
40	2.65	9.10		7- 2	34	2.57	8.50	11.00	6- 2
13 1/2 x 24	1.91	5.95		2-7 1/2 x 4- 6	38	2.72	9.30	12.00	6- 6
					38	2.78	9.35	12.10	6-10
					40	2.84	10.25	13.10	7- 2

For Larger Sizes Than Listed and Sash Extras See Pages 16 and 17



Two Light Check Rail Windows

1 1/8 Inches Thick.

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening	Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
12 x 16	\$1.16	\$2.75		1- 4 x 3- 2	24 x 32	\$1.79	\$6.65	\$8.55	2- 4 x 5- 10
18	1.19	2.90		3- 6	34	1.91	7.00	8.90	6- 2
20	1.21	3.00		3- 10	36	1.95	7.35	9.45	6- 6
22	1.29	3.20		4- 2	38	2.29	8.50	10.65	6- 10
24	1.32	3.45		4- 6	40	2.34	8.55	10.75	7- 2
26	1.40	3.65		4- 10	26 x 16	1.57	4.45	5.50	2- 6 x 3- 2
28	1.44	3.80		5- 2	18	1.57	4.70	5.85	3- 6
30	1.54	4.15		5- 6	20	1.57	4.85	6.10	3- 10
32	1.59	4.30		5- 10	24	1.61	5.25	6.75	4- 6
14 x 16	1.19	2.90		1- 6 x 3- 2	26	1.65	5.60	7.20	4- 10
18	1.22	3.00		3- 6	28	1.74	6.20	7.90	5- 2
20	1.24	3.20		3- 10	30	1.78	6.65	8.50	5- 6
22	1.32	3.40		4- 2	32	1.82	6.70	8.80	5- 10
24	1.35	3.70		4- 6	34	1.96	8.05	10.20	6- 2
26	1.44	3.90		4- 10	36	2.00	8.10	10.25	6- 6
28	1.48	4.20		5- 2	38	2.33	9.20	11.70	6- 10
30	1.56	4.45		5- 6	40	2.39	9.30	11.80	7- 2
32	1.61	4.65		5- 10	27 1/2 x 24	1.70	5.95	7.60	2- 7 1/2 x 4- 6
16 x 16	1.24	3.10	3.75	1- 8 x 3- 2	26	1.74	6.50	8.25	4- 10
18	1.26	3.25	3.95	3- 6	28	1.83	7.00	8.95	5- 2
20	1.29	3.35	4.15	3- 10	30	1.87	7.10	9.05	5- 6
22	1.39	3.75	4.70	4- 2	28 x 16	1.67	4.70	5.80	2- 8 x 3- 2
24	1.40	3.75	4.70	4- 6	18	1.67	5.00	6.25	3- 6
26	1.46	4.10	5.35	4- 10	20	1.67	5.15	6.50	3- 10
28	1.53	4.50	5.85	5- 2	24	1.70	5.95	7.60	4- 6
30	1.59	4.75	6.20	5- 6	26	1.74	6.50	8.25	4- 10
32	1.63	4.95	6.45	5- 10	28	1.83	6.95	8.80	5- 2
34	1.74	5.25	6.80	6- 2	30	1.87	7.10	9.05	5- 6
36	1.84	5.50	7.20	6- 6	32	1.92	7.85	10.00	5- 10
18 x 16	1.29	3.30	4.00	1- 10 x 3- 2	34	2.03	8.15	10.30	6- 2
18	1.29	3.55	4.45	3- 6	36	2.07	8.65	11.10	6- 6
20	1.32	3.75	4.70	3- 10	38	2.43	9.35	11.85	6- 10
22	1.42	4.30	5.50	4- 2	40	2.48	10.30	13.20	7- 2
24	1.43	4.30	5.55	4- 6	30 x 16	1.71	4.90	6.05	2- 10 x 3- 2
26	1.49	4.55	5.75	4- 10	18	1.71	5.15	6.55	3- 6
28	1.56	4.80	6.10	5- 2	20	1.71	5.40	6.85	3- 10
30	1.61	5.05	6.70	5- 6	24	1.74	6.15	7.90	4- 6
32	1.64	5.10	6.75	5- 10	26	1.78	6.80	8.65	4- 10
34	1.77	5.65	7.45	6- 2	28	1.87	7.00	8.95	5- 2
36	1.87	6.00	8.10	6- 6	30	1.91	7.80	9.90	5- 6
20 x 16	1.36	3.60	4.50	2- 0 x 3- 2	32	1.94	8.00	10.15	5- 10
18	1.36	3.80	4.80	3- 6	34	2.06	8.85	11.35	6- 2
20	1.36	3.90	4.80	3- 10	36	2.11	8.90	11.40	6- 6
22	1.44	4.40	5.55	4- 2	38	2.48	10.30	13.20	6- 10
24	1.47	4.45	5.55	4- 6	40	2.53	10.40	13.30	7- 2
26	1.51	4.60	6.00	4- 10	32 x 16	1.84	5.25	6.50	3- 0 x 3- 2
28	1.59	4.85	6.40	5- 2	18	1.84	5.45	6.80	3- 6
30	1.64	5.30	6.80	5- 6	20	1.84	5.95	7.60	3- 10
32	1.67	5.75	7.40	5- 10	24	1.95	7.05	8.95	4- 6
34	1.79	5.90	7.55	6- 2	26	2.00	7.10	9.00	4- 10
36	1.89	6.55	8.30	6- 6	28	2.10	8.25	10.40	5- 2
38	2.17	7.30	9.20	6- 10	30	2.14	8.30	10.45	5- 6
40	2.21	7.40	9.30	7- 2	32	2.18		11.50	5- 10
22 x 16	1.46	3.95	4.70	2- 2 x 3- 2	34	2.33		11.70	6- 2
18	1.46	4.20	5.20	3- 6	36	2.48		13.20	6- 6
20	1.46	4.40	5.50	3- 10	38	2.53		14.20	6- 10
22	1.46	4.55	5.75	4- 2	40	2.57		14.30	7- 2
24	1.50	4.60	5.80	4- 6	34 x 16	1.89		6.85	3- 2 x 3- 2
26	1.54	4.75	6.05	4- 10	18	1.89		7.30	3- 6
28	1.63	5.30	6.45	5- 2	20	1.89		7.65	3- 10
30	1.67	5.75	7.35	5- 6	24	2.00		9.00	4- 6
32	1.70	6.10	7.90	5- 10	26	2.06		10.35	4- 10
34	1.84	6.50	8.20	6- 2	28	2.14		10.45	5- 2
36	1.92	7.00	8.70	6- 6	30	2.20		11.50	5- 6
38	2.22	7.35	9.30	6- 10	32	2.22		11.60	5- 10
40	2.25	8.45	10.60	7- 2	34	2.37		13.10	6- 2
24 x 16	1.47	4.05	4.75	2- 4 x 3- 2	36	2.52		14.20	6- 6
18	1.47	4.30	5.25	3- 6	38	2.57		14.25	6- 10
20	1.47	4.50	5.60	3- 10	40	2.62		16.35	7- 2
22	1.55	4.70	6.55	4- 2	36 x 16	2.15		7.35	3- 4 x 3- 2
24	1.58	5.15	6.55	4- 6	18	2.15		8.05	3- 6
26	1.61	5.20	6.60	4- 10	20	2.15		8.60	3- 10
28	1.70	5.65	7.25	5- 2	22	2.15		9.20	4- 2
30	1.74	6.00	7.75	5- 6					

(Continued on next page)



LISTED SIZES OF Two Light Check Rail Windows

1 3/8 Inches Thick—Continued

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening	Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
36 x 24	\$2.15		\$9.90	3-4 x 4-6	40 x 30	\$2.42		\$13.45	3-8 x 5-6
26	2.18		10.50	4-10	32	2.46		14.45	5-10
28	2.27		11.60	5-2	34	2.61		17.00	6-2
30	2.32		11.70	5-6	36	2.76		17.20	6-6
32	2.36		13.65	5-10	38	2.81		17.35	6-10
34	2.52		14.85	6-2	40	2.87		17.45	7-2
36	2.65		15.00	6-6	44 x 20	2.42		11.05	4-0 x 3-10
38	2.72		17.20	6-10	22	2.42		12.10	4-2
40	2.76		17.30	7-2	24	2.42		12.10	4-6
38 x 24	2.18		10.75	3-6 x 4-6	26	2.45		13.50	4-10
26	2.24		11.85	4-10	28	2.55		14.60	5-2
28	2.33		11.95	5-2	30	2.59		16.70	5-6
30	2.38		13.40	5-6	32	2.64		16.75	5-10
32	2.42		14.40	5-10	34	2.81		17.10	6-2
34	2.57		14.90	6-2	36	2.95		17.30	6-6
36	2.71		17.20	6-6	48 x 20	2.52		11.25	4-4 x 3-10
38	2.76		17.30	6-10	22	2.52		12.25	4-2
40	2.81		17.35	7-2	24	2.52		14.50	4-6
40 x 20	2.24		9.60	3-8 x 3-10	26	2.56		14.60	4-10
22	2.24		10.85	4-2	28	2.66		16.80	5-2
24	2.24		10.85	4-6	30	2.70		16.85	5-6
26	2.28		11.90	4-10	32	2.74		16.90	5-10
28	2.37		13.35	5-2	34	2.92		20.60	6-2



LISTED SIZES OF One Light Sash

1 3/8 Inches Thick.

Size of Glass	Open List	List Gla. S. S.	Size of Opening	Size of Glass	Open List	List Gla. S. S.	Size of Opening
8 x 10	\$0.76	\$1.30	1-0 x 1-3	28 x 28	\$1.15	\$3.65	2-8 x 2-9
10 x 12	.77	1.55	1-2 x 1-5	30	1.17	3.80	2-11
14	.80	1.65	1-7	30 x 16	1.05	2.70	2-10 x 1-9
12 x 16	.83	1.80	1-4 x 1-9	18	1.06	2.85	1-11
20	.91	1.95	2-1	20	1.07	3.00	2-1
16 x 16	.95	2.05	1-8 x 1-9	24	1.13	3.40	2-5
18	.98	2.15	1-11	28	1.16	3.75	2-9
20	1.00	2.25	2-1	30	1.18	4.30	2-11
24	1.02	2.45	2-5	36 x 16	1.12	3.10	3-4 x 1-9
18 x 18	1.00	2.30	1-10 x 1-11	18	1.13	3.30	1-11
20	1.01	2.40	2-1	20	1.15	3.60	2-1
24	1.03	2.60	2-5	24	1.18	4.05	2-5
26	1.04	2.70	2-7				
28	1.05	2.80	2-9				
30	1.10	2.95	2-11				
20 x 16	1.01	2.30	2-0 x 1-9				
18	1.02	2.40	1-11				
20	1.03	2.55	2-1				
24	1.04	2.70	2-5				
24 x 16	1.03	2.45	2-4 x 1-9				
18	1.04	2.60	1-11				
20	1.05	2.75	2-1				
24	1.06	3.00	2-5				
26	1.07	3.05	2-7				
28	1.10	3.20	2-9				
30	1.12	3.40	2-11				
26 x 28	1.13	3.40	2-6 x 2-9				
30	1.15	3.75	2-11				
28 x 16	1.03	2.65	2-8 x 1-9				
18	1.04	2.80	1-11				
20	1.07	2.90	2-1				
24	1.10	3.25	2-5				



One Light Stall Sash

1 1/4 Inches Thick

Size of Glass	List Open	List Gla. S. S.	Size of Opening	Size of Glass	List Open	List Gla. S. S.	Size of Opening
8 x 10	\$0.68	\$1.30	1-0 x 1-3	12 x 20	\$0.82	\$1.80	1-4 x 2-1
10 x 12	.69	1.40	1-2 x 1-5	24	.90	2.05	2-5
14	.72	1.45	1-7	26	.91	2.10	2-7
12 x 16	.75	1.60	1-4 x 1-9				

For Larger Sizes than Listed and Sash Extras See Pages 16 and 17

CELLAR SASH

LISTED SIZES OF


Two Light

1½ Inches Thick.

Size of Glass	List Open	List Single Glazed S. S.	List Double Glazed S. S.	Size of Opening
8 x 10	\$0.65	\$1.55	\$2.65	1- 9 x 1- 3
10 x 12	.72	1.80	3.10	2- 1 x 1- 5
14	.74	1.90	3.30	1- 7
16	.77	2.05	3.60	1- 9
18	.79	2.15	3.80	1-11
20	.81	2.25	4.00	2- 1
12 x 12	.79	1.95	3.35	2- 5 x 1- 5
14	.81	2.10	3.65	1- 7
16	.84	2.25	3.95	1- 9
18	.86	2.40	4.25	1-11
20	.88	2.50	4.45	2- 1
22	.90	2.65	4.75	2- 3
24	.95	2.90	5.25	2- 5
14 x 16	.91	2.50	4.40	2- 9 x 1- 9
18	.93	2.60	4.60	1-11
20	.95	2.75	4.90	2- 1
22	.98	3.00	5.45	2- 3
24	1.02	3.25	5.95	2- 5


Four Light Sash

1½ Inches Thick.


Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$0.84	\$1.90	1- 6 x 1-11
8 x 10	.92	2.15	1- 8 x 2- 1
12	.99	2.35	2- 5
14	1.05	2.52	2- 9
9 x 12	.99	2.45	1-10 x 2- 5
14	1.05	2.65	2- 9
16	1.10	2.80	3- 1
10 x 10	.96	2.50	2- 0 x 2- 1
12	1.01	2.55	2- 5
14	1.07	2.80	2- 9
16	1.10	3.05	3- 1
12 x 14	1.12	3.20	2- 4 x 2- 9
16	1.16	3.35	3- 1


1 Light Transoms

1½ Inches Thick.

Size of Opening	Size of Glass	List Open	List Gla. S. S.
2- 6x1- 0	26x 8	\$0.73	\$1.80
1- 2	10	.75	1.85
1- 4	12	.77	1.95
1- 6	14	.78	2.10
1- 8	16	.82	2.30
2- 8x1- 0	28x 8	.78	1.90
1- 2	10	.80	1.95
1- 4	12	.82	2.10
1- 6	14	.84	2.30
1- 8	16	.86	2.45
1-10	18	.89	2.60
2- 0	20	.90	2.70
2-10x1- 2	30x10	.82	2.00
1- 4	12	.84	2.20
1- 6	14	.86	2.40
1- 8	16	.90	2.55
1-10	18	.91	2.70
2- 0	20	.93	2.85
3- 0x1- 2	32x10	.85	2.10
1- 4	12	.86	2.30
1- 6	14	.89	2.45
1- 8	16	.92	2.65
1-10	18	.94	2.75
2- 0	20	.95	3.05

LISTED SIZES OF


Three Light

1½ Inches Thick.

Size of Glass	List Open	List Single Glazed S. S.	List Double Glazed S. S.	Size of Opening
7 x 9	\$0.72	\$1.70	\$2.90	2- 1 x 1- 2
8 x 10	.77	1.85	3.15	2- 4 x 1- 3
12	.78	1.95	3.35	1- 5
9 x 12	.81	2.05	3.55	2- 7 x 1- 5
13	.82	2.15	3.75	1- 6
14	.83	2.20	3.85	1- 7
16	.86	2.35	4.15	1- 9
10 x 12	.87	2.20	3.80	2-10 x 1- 5
14	.88	2.35	4.15	1- 7
16	.91	2.55	4.50	1- 9
18	.93	2.70	4.70	1-11
12 x 12	.96	2.45	4.25	3- 4 x 1- 5
14	.99	2.70	4.70	1- 7
16	1.01	2.90	5.20	1- 9
18	1.03	3.05	5.50	1-11
14 x 16	1.08	3.15	5.65	3-10 x 1- 9
18	1.09	3.35	6.05	1-11


Six Light Sash

1½ Inches Thick.

Size of Glass	List Open	List Glazed S. S.	Size of Opening
7 x 9	\$1.03	\$2.55	2- 1 x 1-11
8 x 10	1.10	2.85	2- 4 x 2- 1
9 x 12	1.18	3.25	2- 7 x 2- 5
10 x 12	1.24	3.45	2-10 x 2- 5

For 1½ inch 6-light sash, open or glazed, add 20% of the open list.


Hot Bed Sash

1½ Inches Thick.

Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
6	5	\$3.14	\$9.35	3-0 x 6-0
8	4	3.18	9.80	3-2 x 6-0
8	4	3.27	9.90	3-4 x 6-0
7	5	3.42	10.45	3-6 x 6-0
7	5	3.73	11.40	3-6 x 7-0
10	4	3.84	13.45	4-0 x 7-0

1¼ Inches Thick

Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
6	5	\$4.53	\$10.75	3-0 x 6-0
8	4	\$4.59	11.25	3-2 x 6-0
8	4	4.83	11.45	3-4 x 6-0
7	5	5.00	12.05	3-6 x 6-0
7	5	5.52	13.20	3-6 x 7-0
10	4	5.60	15.20	4-0 x 7-0

For Hot Bed Sash with Crossbars, add 10 cents net for each sash for 3 or more; for less than 3 sash, a minimum charge of 25 cents will be made.

For Larger Sizes Than Listed and Sash Extras See Pages 16 and 17




LISTED SIZES OF
CUPBOARD SASH, TWO LIGHT

$\frac{3}{4}$ Inches Thick.				$1\frac{1}{8}$ Inches Thick.			
Size of Sash	List Open	List Glazed S. S.	Size of Opening	Size of Sash	List Open	List Glazed S. S.	Size of Opening
1- 4x4- 0	\$1.05	\$3.10	1- 4 x 4- 0	1- 4x4- 0	\$1.21	\$3.30	1- 4 x 4- 0
1- 4x4- 6	1.11	3.35	4- 6	1- 4x4- 6	1.29	3.60	4- 6
1- 4x5- 0	1.17	3.65	5- 0	1- 4x5- 0	1.37	3.90	5- 0
1- 6x4- 0	1.08	3.40	1- 6 x 4- 0	1- 6x4- 0	1.23	3.60	1- 6 x 4- 0
1- 6x4- 6	1.14	3.60	4- 6	1- 6x4- 6	1.32	3.85	4- 6
1- 6x5- 0	1.19	4.00	5- 0	1- 6x5- 0	1.39	4.25	5- 0
1- 8x4- 0	1.11	3.65	1- 8 x 4- 0	1- 8x4- 0	1.28	3.85	1- 8 x 4- 0
1- 8x4- 6	1.17	3.80	4- 6	1- 8x4- 6	1.35	4.05	4- 6
1- 8x5- 0	1.23	4.25	5- 0	1- 8x5- 0	1.43	4.55	5- 0
1-10x4- 0	1.13	3.90	1-10 x 4- 0	1-10x4- 0	1.29	4.15	1-10 x 4- 0
1-10x4- 6	1.18	4.10	4- 6	1-10x4- 6	1.38	4.35	4- 6
1-10x5- 0	1.25	4.60	5- 0	1-10x5- 0	1.45	4.85	5- 0
2- 0x4- 0	1.14	4.15	2- 0 x 4- 0	2- 0x4- 0	1.32	4.40	2- 0 x 4- 0
2- 0x4- 6	1.20	4.35	4- 6	2- 0x4- 6	1.41	4.65	4- 6
2- 0x5- 0	1.26	4.75	5- 0	2- 0x5- 0	1.48	5.05	5- 0

One Light Cottage Front Sash

$1\frac{1}{8}$ Inches Thick.




No. 16

Size of Opening	Size of Glass	List Open	List Glazed D. S.
3- 8 x 3-10	40 x 40	\$2.09	\$10.35
4- 2	44	2.18	12.05
4- 6	48	2.23	12.60
4-10	52	2.28	12.80
5- 2	56	2.33	17.45
5- 6	60	2.39	17.55
5-10	64	2.44	18.65
6- 2	68	2.49	23.45
4- 0 x 3-10	44 x 40	2.21	12.10
4- 2	44	2.30	13.50
4- 6	48	2.36	16.65
4-10	52	2.42	18.80
5- 2	56	2.46	18.90
5- 6	60	2.51	23.10
5-10	64	2.56	25.40
6- 2	68	2.62	27.65
4- 4 x 3-10	48 x 40	2.29	13.30
4- 2	44	2.38	17.30
4- 6	48	2.42	19.45
4-10	52	2.48	19.50
5- 2	56	2.54	23.75
5- 6	60	2.58	25.00
5-10	64	2.63	28.30
6- 2	68	2.69	38.85
4- 6 x 3-10	50 x 40	2.32	14.00
4- 2	44	2.42	18.00
4- 6	48	2.46	20.15
4-10	52	2.51	21.45
5- 2	56	2.57	26.65
5- 6	60	2.62	26.70
5-10	64	2.66	29.00
6- 2	68	2.72	39.00
5- 0 x 4- 2	56 x 44	2.52	20.85
4- 6	48	2.57	25.05
4-10	52	2.63	27.35
5- 2	56	2.67	33.50
5- 6	60	2.72	40.15
5-10	64	2.78	40.20
6- 2	68	2.83	43.45


For Larger Sizes Than Listed and Sash Extras See Pages 16 and 17

LISTED SIZES OF COTTAGE WINDOWS AND SASH

Two Lights, 1 $\frac{3}{8}$ Inches Thick



14



15


Size of Glass		No. 14 Window [2 lt. 1 $\frac{3}{8}$ in. Check		No. 15 Sash 2 lt. 1 $\frac{3}{8}$ in.		Size of Opening
Bottom Light	Top Light	List Open	List Glazed D. S.	List Open	List Glazed D. S.	
36 x 36	36 x 16	\$2.76	\$12.95	\$2.40	\$12.60	3- 4 x 4-10
36 x 36	36 x 20	2.76	13.55	2.40	13.20	5- 2
40 x 36	40 x 16	2.76	13.70	2.40	13.35	3- 8 x 4-10
40 x 40	40 x 16	2.76	14.05	2.40	13.60	5- 2
40 x 44	40 x 16	2.85	15.75	2.46	15.30	5- 6
40 x 48	40 x 16	2.90	16.30	2.50	15.80	5-10
40 x 50	40 x 18	2.94	16.60	2.55	16.10	6- 2
40 x 36	40 x 20	2.76	14.45	2.40	14.10	5- 2
40 x 40	40 x 20	2.85	14.55	2.46	14.20	5- 6
40 x 44	40 x 20	2.90	15.40	2.50	15.00	5-10
42 x 40	42 x 16	2.81	16.05	2.44	15.55	3-10 x 5- 2
42 x 44	42 x 16	2.90	17.40	2.48	16.85	5- 6
42 x 48	42 x 16	2.94	17.45	2.54	16.95	5-10
42 x 48	42 x 20	2.98	18.20	2.59	17.70	6- 2
44 x 40	44 x 16	2.93	16.40	2.54	15.90	4-0 x 5- 2
44 x 44	44 x 16	3.02	17.80	2.59	17.25	5- 6
44 x 46	44 x 18	3.06	18.30	2.64	17.80	5-10
44 x 50	44 x 18	3.11	21.50	2.70	21.00	6- 2
44 x 40	44 x 20	3.02	17.30	2.59	16.90	5- 6
44 x 44	44 x 20	3.06	18.65	2.64	18.25	5-10
48 x 40	48 x 16	3.03	18.10	2.61	17.60	4- 4 x 5- 2
48 x 42	48 x 18	3.06	18.95	2.67	18.45	5- 6
48 x 46	48 x 18	3.15	22.20	2.72	21.65	5-10
48 x 50	48 x 18	3.21	24.35	2.87	23.80	6- 2

For Larger Sizes Than Listed and Sash Extras See Pages 16 and 17


COTTAGE AND QUEEN ANNE WINDOWS




No. 17



No. 18



No. 20




No. 21



No. 22




No. 23




No. 24



No. 25




No. 26



No. 27



No. 28




No. 29




No. 30


QUEEN ANNE SASH




No. 60




No. 61




No. 62




No. 63




No. 64




No. 65



No. 66



No. 67



No. 68

List Prices of Cut Up or Fancy Top Windows and Sash

To arrive at list prices for the Cut Up or Fancy Top windows or Sash add to the list price of one-light Sash or 2-light Window, as the case may be, for designs shown as follows:

Design No.	1 3/4 Open	1 3/4 Glzd.
17.....	\$9.10	\$10.35
18.....	14.20	16.30
20.....	1.80	2.55
21.....	6.90	8.00
22.....	3.70	4.15
23.....	3.00	3.50
24.....	4.90	5.55
25.....	6.60	7.70
26.....	2.50	2.75
27.....	30.40	32.60
28.....	4.70	5.35
29.....	7.40	8.50
30.....	8.00	8.40
60.....	1.80	2.55
61.....	3.95	4.80
62.....	15.60	18.20
63.....	9.90	11.65
64.....	1.35	1.90
65.....	6.90	8.00
66.....	7.50	8.75
67.....	9.10	10.35
68.....	14.20	16.30

For 1 3/4-inch thick Windows or Sash of the above designs add to the 1 3/4 full Open list 40% of the extra provided for the 1 3/4 Open Windows or sash of similar design.


For other Fancy or Cut Up Sash see Rule 4.

List prices on the above designs are based on the exact number of lights shown in cuts, and price will vary in proportion as there may be more or less number of lights in the article made owing to size or otherwise.


For Windows or Sash glazed with white chipped, Florentine or similar glass of equal value add to glazed list for each square foot of glass measure, list 40c.

For Larger Sizes Than Listed and Sash Extras
See Pages 16 and 17

CIRCLE-FACE WINDOWS



No. 90



No. 91

When ordering give radius measured to outside of top sash, and say whether frames are made with square jambs like No. 90, or radiating jambs like No. 91.

A full size paper pattern of sill will prevent errors.

If made like No. 91, give distance measured straight across between jambs from outside edges the top sash.

QUEEN ANNE WINDOWS




No. 31




No. 32



No. 33



No. 34



No. 35



No. 36



No. 37



No. 38



No. 39



No. 40

For List Extra See Opposite Page


LIST PRICES OF QUEEN ANNE WINDOWS

2 Lt. 1 1/2" Ok	Fig. 31 top cut up to 6 Lt.		Fig. 32 top cut up to 8 Lt.		Fig. 33 top cut up to 4 Lt.		Fig. 34 top cut up to 6 Lt.		Fig. 35 top cut up to 9 Lt.		Fig. 36 cut up to 12 Lt.		Fig. 37 top cut up to 3 Lt.		Fig. 38 top cut up to 4 Lt.		Fig. 39 top cut up to 8 Lt.		Fig. 40 top cut up to 12 dia- mond Lts.	
	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.	Open	Gldz S. S.
16x20	\$1.89	\$4.25	\$2.09	\$4.55	\$1.69	\$3.95	\$1.89	\$4.25	\$2.19	\$4.70	\$2.49	\$5.15	\$1.59	\$3.80	\$1.69	\$3.95	\$2.09	\$4.55	\$4.89	\$7.55
22	1.99	4.65	2.19	4.95	1.79	4.35	1.99	4.65	2.29	5.10	2.59	5.55	1.69	4.20	1.79	4.35	2.19	4.95	4.99	7.95
24	2.00	4.65	2.20	4.95	1.80	4.35	2.00	4.65	2.30	5.10	2.60	5.55	1.70	4.20	1.80	4.35	2.20	4.95	5.00	7.95
26	2.06	5.00	2.26	5.30	1.86	4.70	2.06	5.00	2.36	5.45	2.66	5.90	1.76	4.55	1.86	4.70	2.26	5.30	5.06	8.30
28	2.13	5.40	2.33	5.70	1.93	5.10	2.13	5.40	2.43	5.85	2.73	6.30	1.83	4.95	1.93	5.10	2.33	5.70	5.13	8.70
30	2.19	5.65	2.39	5.95	1.99	5.35	2.19	5.65	2.49	6.10	2.79	6.55	1.89	5.20	1.99	5.35	2.39	5.95	5.19	8.95
32	2.23	5.85	2.43	6.15	2.03	5.55	2.23	5.85	2.53	6.30	2.83	6.75	1.93	5.40	2.03	5.55	2.43	6.15	5.23	9.15
18x20	1.92	4.65	2.12	4.95	1.72	4.35	1.92	4.65	2.22	5.10	2.52	5.55	1.62	4.20	1.72	4.35	2.12	4.95	4.92	7.95
22	2.02	5.20	2.22	5.50	1.82	4.90	2.02	5.20	2.32	5.65	2.62	6.10	1.72	4.75	1.82	4.90	2.22	5.50	5.02	8.50
24	2.03	5.20	2.23	5.50	1.83	4.90	2.03	5.20	2.33	5.65	2.63	6.10	1.73	4.75	1.83	4.90	2.23	5.50	5.03	8.50
26	2.09	5.45	2.29	5.80	1.89	5.20	2.09	5.50	2.39	5.95	2.69	6.40	1.79	5.05	1.89	5.20	2.29	5.80	5.09	8.80
28	2.16	5.75	2.36	6.05	1.96	5.45	2.16	5.75	2.46	6.20	2.76	6.65	1.86	5.30	1.96	5.45	2.36	6.05	5.16	9.05
30	2.21	5.95	2.41	6.25	2.01	5.65	2.21	5.95	2.51	6.40	2.81	6.85	1.91	5.50	2.01	5.65	2.41	6.25	5.21	9.25
32	2.24	6.00	2.44	6.30	2.04	5.70	2.24	6.00	2.54	6.45	2.84	6.90	1.94	5.55	2.04	5.70	2.44	6.30	5.24	9.30
20x20	1.96	4.80	2.16	5.10	1.76	4.50	1.96	4.80	2.26	5.25	2.56	5.70	1.66	4.35	1.76	4.50	2.16	5.10	4.96	8.10
22	2.04	5.30	2.24	5.60	1.84	5.00	2.04	5.30	2.34	5.75	2.64	6.20	1.74	4.85	1.84	5.00	2.24	5.60	5.04	8.60
24	2.07	5.35	2.27	5.65	1.87	5.05	2.07	5.35	2.37	5.80	2.67	6.25	1.77	4.90	1.87	5.05	2.27	5.65	5.07	8.65
26	2.11	5.45	2.31	5.75	1.91	5.15	2.11	5.45	2.41	5.90	2.71	6.35	1.81	5.00	1.91	5.15	2.31	5.75	5.11	8.75
28	2.19	5.70	2.39	6.00	1.99	5.40	2.19	5.70	2.49	6.15	2.79	6.60	1.89	5.25	1.99	5.40	2.39	6.00	5.19	9.00
30	2.24	6.20	2.44	6.50	2.04	5.90	2.24	6.20	2.54	6.65	2.84	7.10	1.94	5.75	2.04	5.90	2.44	6.50	5.24	9.50
32	2.27	6.65	2.47	6.95	2.07	6.35	2.27	6.65	2.57	7.10	2.87	7.55	1.97	6.20	2.07	6.35	2.47	6.95	5.27	9.95
22x20	2.06	5.30	2.26	5.60	1.86	5.00	2.06	5.30	2.36	5.75	2.66	6.20	1.76	4.85	1.86	5.00	2.26	5.60	5.06	8.60
22	2.06	5.45	2.26	5.75	1.86	5.15	2.06	5.45	2.36	5.90	2.66	6.35	1.76	5.00	1.86	5.15	2.26	5.75	5.06	8.75
24	2.10	5.50	2.30	5.80	1.90	5.20	2.10	5.50	2.40	5.95	2.70	6.40	1.80	5.05	1.90	5.20	2.30	5.80	5.10	8.80
26	2.14	5.65	2.34	5.95	1.94	5.35	2.14	5.65	2.44	6.10	2.74	6.55	1.84	5.20	1.94	5.35	2.34	5.95	5.14	8.95
28	2.23	6.20	2.43	6.50	2.03	5.90	2.23	6.20	2.53	6.65	2.83	7.10	1.93	5.75	2.03	5.90	2.43	6.50	5.23	9.50
30	2.27	6.65	2.47	6.95	2.07	6.35	2.27	6.65	2.57	7.10	2.87	7.55	1.97	6.20	2.07	6.35	2.47	6.95	5.27	9.95
32	2.30	7.00	2.50	7.30	2.10	6.70	2.30	7.00	2.60	7.45	2.90	7.90	2.00	6.55	2.10	6.70	2.50	7.30	5.30	10.30
24x20	2.07	5.40	2.27	5.70	1.87	5.10	2.07	5.40	2.37	5.85	2.67	6.30	1.77	4.95	1.87	5.10	2.27	5.70	5.07	8.70
22	2.15	5.60	2.35	5.90	1.95	5.30	2.15	5.60	2.45	6.05	2.75	6.50	1.85	5.15	1.95	5.30	2.35	5.90	5.15	8.90
24	2.18	6.05	2.38	6.35	1.98	5.75	2.18	6.05	2.48	6.50	2.78	6.95	1.88	5.60	1.98	5.75	2.38	6.35	5.18	9.35
26	2.21	6.10	2.41	6.40	2.01	5.80	2.21	6.10	2.51	6.55	2.81	7.00	1.91	5.65	2.01	5.80	2.41	6.40	5.21	9.40
28	2.30	6.55	2.50	6.85	2.10	6.25	2.30	6.55	2.60	7.00	2.90	7.45	2.00	6.10	2.10	6.25	2.50	6.85	5.30	9.85
30	2.34	6.90	2.54	7.20	2.14	6.60	2.34	6.90	2.64	7.35	2.94	7.80	2.04	6.45	2.14	6.60	2.54	7.20	5.34	10.20
32	2.39	7.55	2.59	7.85	2.19	7.25	2.39	7.55	2.69	8.00	2.99	8.45	2.09	7.10	2.19	7.25	2.59	7.85	5.39	10.85
26x20	2.17	5.75	2.37	6.05	1.97	5.45	2.17	5.75	2.47	6.20	2.77	6.65	1.87	5.30	1.97	5.45	2.37	6.05	5.17	9.05
22	2.21	6.15	2.41	6.45	2.01	5.85	2.21	6.15	2.51	6.60	2.81	7.05	1.91	5.70	2.01	5.85	2.41	6.45	5.21	9.45
24	2.21	6.15	2.41	6.45	2.01	5.85	2.21	6.15	2.51	6.60	2.81	7.05	1.91	5.70	2.01	5.85	2.41	6.45	5.21	9.45
26	2.25	6.50	2.45	6.80	2.05	6.20	2.25	6.50	2.55	6.95	2.85	7.40	1.95	6.05	2.05	6.20	2.45	6.80	5.25	9.80
28	2.34	7.10	2.54	7.40	2.14	6.80	2.34	7.10	2.64	7.55	2.94	8.00	2.04	6.05	2.14	6.80	2.54	7.40	5.34	10.40
30	2.38	7.55	2.58	7.85	2.18	7.25	2.38	7.55	2.68	8.00	2.98	8.45	2.08	7.10	2.18	7.25	2.58	7.85	5.38	10.85
32	2.42	7.60	2.62	7.90	2.22	7.30	2.42	7.60	2.72	8.05	3.02	8.50	2.12	7.15	2.22	7.30	2.62	7.90	5.42	10.90
28x20	2.27	6.05	2.47	6.35	2.07	5.75	2.27	6.05	2.57	6.50	2.87	6.95	1.97	5.60	2.07	5.75	2.47	6.35	5.27	9.35
22	2.30	6.85	2.50	7.15	2.10	6.55	2.30	6.85	2.60	7.30	2.90	7.75	2.00	6.40	2.10	6.55	2.50	7.15	5.30	10.15
24	2.30	6.85	2.50	7.15	2.10	6.55	2.30	6.85	2.60	7.30	2.90	7.75	2.00	6.40	2.10	6.55	2.50	7.15	5.30	10.15
26	2.34	7.40	2.54	7.70	2.14	7.10	2.34	7.40	2.64	7.85	2.94	8.30	2.04	6.95	2.14	7.10	2.54	7.70	5.34	10.70
28	2.43	7.90	2.63	8.20	2.23	7.60	2.43	7.90	2.73	8.35	3.03	8.80	2.13	7.45	2.23	7.60	2.63	8.20	5.43	11.20
30	2.47	8.00	2.67	8.30	2.27	7.70	2.47	8.00	2.77	8.45	3.07	8.90	2.17	7.55	2.27	7.70	2.67	8.30	5.47	11.30
32	2.52	8.90	2.72	9.20	2.32	8.60	2.52	8.90	2.82	9.35	3.12	9.80	2.22	8.45	2.32	8.60	2.72	9.20	5.52	12.20
30x20	2.31	6.30	2.51	6.60	2.11	6.00	2.31	6.30	2.61	6.75	2.91	7.20	2.01	5.85	2.11	6.00	2.51	6.60	5.31	9.60
22	2.34	7.05	2.54	7.35	2.14	6.75	2.34	7.05	2.64	7.50	2.94	7.95	2.04	6.60	2.14	6.75	2.54	7.35	5.34	10.35
24	2.34	7.05	2.54	7.35	2.14	6.75	2.34	7.05	2.64	7.50	2.94	7.95	2.04	6.60	2.14	6.75	2.54	7.35	5.34	10.35
26	2.38	7.70	2.58	8.00	2.18	7.40	2.38	7.70	2.68	8.15	2.98	8.60	2.08	7.25	2.18	7.40	2.58	8.00	5.38	11.00
28	2.47	7.85	2.67	8.15	2.27	7.55	2.47	7.85	2.77	8.30	3.07	8.75	2.17	7.40	2.27	7.55	2.67	8.15	5.47	11.15
30	2.51	8.70	2.71	9.00	2.31	8.40	2.51	8.70	2.81	9.15	3.11	9.60	2.21	8.25	2.31	8.40	2.71	9.00	5.51	12.00
32	2.54	8.75	2.74	9.05	2.34	8.45	2.54	8.75	2.84	9.20	3.14	9.65	2.24	8.30	2.34	8.45	2.74	9.05	5.54	12.05


For Larger Sizes than Listed and Sash Extras, See Pages 16 and 17.

TRANSOMS

Segment, Circle and Gothic Top



No. 69



No. 70




No. 71



No. 74



No. 72



No. 73

List Price on Segment, Circle or Gothic Head Transoms



No. 75

1 3/4 thick up to 3 ft. wide	1 3/4 thick up to 5 ft. wide	1 3/4 thick up to 3 ft. wide	1 3/4 thick up to 5 ft. wide
--	--	--	--

For list price on design No.

69-70 add...	\$1.50	\$3.20	\$1.90	\$3.75
71-74 add...	4.80	8.00	5.75	9.00
72 add.....	6.80	10.00	8.00	11.50
73 add.....	8.60	12.80	10.65	15.00
75 add.....	7.80	12.00	9.25	13.50


To arrive at glazed list for any of the above designs figure a Sash glazed 1 light of the size required for square head Sash of the extreme width and height given and add for each square or diamond cut light if glazed, list 5c.

For each light cut odd shape if glazed, add list 10c.

In ordering above specify width and height.

Over 5 ft. wide see note opposite page.

GABLE FRAMES AND SASH



No. 80



No. 81



No. 82




No. 84




No. 86



No. 83



No. 85



No. 87

Sash Design	Outside Measure of Sash	Thickness	List Price Open	List Price Glazed	Frame Design	List Price Frame For 2 x 4 Studs
80	2'0 x 2'5	1 3/4	\$1.00	\$2.50	80B	\$6.00
81	2'0 x 2'0	1 3/4	11.75	13.20	81B	8.00
82	2'0 x 2'5	1 3/4	3.00	4.60	82B	10.00
83	2'0 x 2'3	1 3/4	8.75	10.85	83B	10.50
84	2'0 x 2'0	1 3/4	20.00	22.65	84B	10.50
85	1'8 x 2'8	1 3/4	14.50	16.20	85B	12.00
86	2'6 x 1'6	1 3/4	12.00	14.05	86B	10.00
87	1'8 x 2'8	1 3/4	23.00	25.90	87B	12.00

Frames are made for sash square inside.

Price given for frames is subject to sash discount.

For Larger Sizes Than Listed and Sash Extras See Pages 16 and 17

CIRCLE AND SEGMENT TOP WINDOWS




Fig. 1
Circle inside and outside
Radius, one-half
width of sash.




Fig. 2
Circle outside, square in-
side. Radius, one-
half width of sash.
(less width of one stile.)




Fig. 3
Segment inside and out-
side. Radius, width
of sash



Fig. 4
Segment outside, square
inside. Radius, width
of sash,
(less width of one stile.)

For Segment, circle or gothic windows always
give radius if not as above. If not given it will
be understood that the regular radius as indicated
above will apply.

GOTHIC AND PEAK HEAD WINDOWS



No. 50



No. 51



No. 52



No. 53

Segment Heads	1 3/4 thick up to 3 feet	1 3/4 thick up to 5 feet	1 3/4 thick up to 3 feet	1 3/4 thick up to 5 feet
For List Price				
Design No. 3 add.....	\$1.50	\$3.20	\$1.90	\$3.75
Design No. 4 add.....	1.50	3.20	1.90	3.75
Circle Head In and Out				
For List Price				
Design No. 1 add.....	4.80	8.00	5.75	9.00
Circle Head Outside, Square Inside				
For List Price				
Design No. 2 add.....	5.50	12.00	6.50	13.50
Gothic Head In and Out				
For List Price				
Design No. 50 add....	4.80	8.00	5.75	9.00
Peak Head In and Out				
For List Price				
Design No. 52 add....	2.25	4.50	2.75	5.25
For List Extra				
Design No. 51 add to list.....	7.80	12.00	9.25	13.50
For List Extra				
Design No. 53 add to list.....	4.05	6.30	5.00	7.50
For each light cut odd shape, of glazed, add list 10c.				
Note "A"—For Segment, Gothic, Circle or Peak Head Sash over 5 feet in width add for each additional 6 inches or fraction thereof to price of 5-foot width, 15 per cent.				

For Larger Sizes Than Listed and Sash Extras See Pages 16 and 17

SASH EXTRAS

Note "A"—Unless otherwise specified, when a net extra or a list extra is provided, it will apply to either Open or Glazed list, and when a percentage of the list is provided, it applies to Open list only, and is to be applied before Glazing list is added.

Note "B"—The list extras specified are presumed and intended to enable the building up of a list which when completed shall be subject to the "oddwork" discount, except when ordered in stock quantities of a size and kind.

Full Circle Sash

Note "A"—For list price on Sash full circle in and out, add double the list provided by rule for Circle head in and out, Design No. 1.

Note "B"—For list price on Sash full circle outside, square inside, add double the list provided by rule for circle head outside, square inside, Design No. 2.

Kite Shaped Elliptical or Eyebrow Sash.

For list price add to the Open list of a full circle sash of similar size 30 per cent.

Quarter Circle Sash or Windows

	1½ inch List	1¾ inch List
(a) For list on open or glazed quarter circle inside and outside not over 2-foot wide base, add for.....	\$3.00	\$3.75
(b) For list on open or glazed quarter circle inside and outside over 2 feet and not over 4-foot wide base, add for.....	6.00	7.50
(c) For list on open or glazed quarter circle outside and square inside, not over 2-foot wide base, add for.....	4.00	5.25
(d) For list on open or glazed quarter circle outside and square inside, over 2 feet and not over 4-foot wide base, add for.....	8.00	10.00

Diamond Shape Sash

For list on open or glazed sash, diamond Shape, add to open or glazed list double the list given for Peak Head Sash.

LARGER SIZES

- Rule 1**—(a) For list on open windows wider than listed sizes, add to the open list for similar window of widest listed size of same height, for each additional 2 inches or part thereof..... 15c list
- (b) For list on open windows longer than listed sizes, add to the open list for similar window of longest listed size of same width for each additional 4 inches or part thereof..... 15c list

WIDE STILES, RAILS OR BARS

Rule 2—For list on open windows, or sash, with stiles, rails or bars wider than regular stock sizes, add as follows:

- (a) For stiles and top rails wider than 2 inches to glass rabbet, for each additional ¼ inch or part thereof, add of the open list to open or glazed list..... 10% list
- (b) For bottom rails wider than 3 inches to glass rabbet, for each additional ½ inch or part thereof, add of open list to open or glazed list..... 5% list
- (c) For check rails thicker than 1½ inch and not over 1¾ inches finished sizes, add of open list to open or glazed list..... 10% list
- (d) For bars or muntins wider than stock add of the open list for each additional ¼ inch or part thereof on each bar or muntin to the open or glazed list..... 1½%

(For example, a 6-light sash when made 3-light wide would be figured as containing 3 bars or muntins.)

NOTE—For rabbeting rails see Rule 20.

O. G. LUGS

Rule 3—For list on 1½-inch open or glazed windows with O. G. lugs add to open or glazed list for each sash with lugs 30c list

DIVIDED SASH

Rule 4—For list on open or glazed windows or sash divided into small lights, and not specifically listed, add to the list for similar two-light window or one-light sash for each light as follows:

	1½- inch List	1¾- inch List
(a) For rectangular or margin lights add.....	\$0.12	\$0.16
(b) For lights not rectangular, but formed by straight bars on all sides (diamond lights), (except suspended lights, see Note "C").....	.30	.40
(c) For suspended diamond lights (similar to long and square lights in sash Nos. 17, 18).....	.50	.65
(d) For lights not rectangular but formed by curved bars.....	2.00	2.50
(e) For suspended circle lights similar to Fig. 21 in 1½-inch open Sash, add \$5.00 list for the 1-light and 12c list for each additional light as shown in cut.		
(f) For suspended circle lights similar to Fig. 21, in 1¾ open Sash, add \$6.00 list for the 1-light and 16c list for each additional light as shown in cut.		
(g) For suspended circle lights similar to Fig. 21, if glazed with putty add to the glazed list 10c list extra for each of the 5 center lights and 5c list extra for each of the square lights.		

COTTAGE STYLE WINDOWS

Rule 5—For cottage style windows (with top and bottom light of different heights) not listed, add together one-half of the lists of windows of the same width containing the same or next larger glass size, for the bottom and top, respectively, and add..... 30c list

HALF WINDOWS

Rule 6—For half windows (either top or bottom sash) add to half of the list of such window..... 30c list

1½ INCH THICK

- Rule 7**—(a) For list on 1½-inch sash, not listed, and for two and four light plain rail windows, use 1½-inch list, open or glazed, and deduct from the open list..... 10%
- (b) For list on 1½-inch check rail windows, open or glazed, deduct from 1½ open list..... 5%
- (c) For 1½ single sash not listed add to list of 1½ listed open sash..... 20%

1½ INCHES PLAIN RAIL WINDOWS

Rule 8—For 1½-inch plain rail windows use 1½-inch check rail list, open or glazed.

1½ INCHES THICK

- Rule 9**—(a) For 1½-inch windows or sash open or glazed, add of the 1½-inch open list to the 1½-inch open or glazed list, unless otherwise provided for..... 40% list
- (b) For all extras for 1½-inch windows or sash, unless otherwise provided for, add to extras for 1½-inch sash..... 40% list

SASH EXTRAS

2 1/4 INCHES THICK

Rule 10—For 2 or 2 1/4 inch windows or sash, open or glazed, add of the 1 3/4-inch open list to the 1 3/4-inch open or glazed list.....100% list

SINGLE SASH

Rule 11—(a) To make open sash list on 1 3/4 1-light Transom, Cellar or other single sash not otherwise provided for in this list, figure the united inches, width and length, added of the entire glass measurement not over 100 united inches at per inch.....2 1/2c
(b) No sash to be figured at less than...\$1.00 list
(c) For more than 1 light in the above add as per Rule 4.

CASEMENT SASH

Rule 12—For casement sash, figure each sash as per Rule 11. If rabbeted, see Rule 20, page 57.

STORE SASH

Rule 13—(a) Store sash with stiles and top rail 3 inches to glass line, and bottom rail 4 inches to glass line. 1 3/4 inches thick, per lineal foot around the opening, list.....25c 35c
(b) Bars for 1 3/4-inch sash not over 1 inch between glass, per lineal foot, list.....15c 20c
(c) For wider stiles, rails, etc., see rule 2, page 52.
(d) For glass beads or stops, see Rule 15, page 55.
(e) For panels under store sash, see Rule 14.

PANELS FOR STORE FRONTS

Rule 14—(a) Panels for store front, solid stuck. 1 3/4 inches thick, per square foot, 60c list, subject to Door Discount.
(b) Panels for store front, solid stuck, 1 3/4 inches thick, per square foot, 85c list, subject to Door Discount.

STOPS AND BEADS

Rule 15—For stock size and pattern stops or beads around square glass in Sash or Windows not over 1 3/4 inches thick, add for beads around each light:
(a) 24 united inches or less.....20c list
(b) 25 to 60 united inches.....30c list
(c) 61 to 90 united inches.....40c list
(d) For over 90 united inches add 1/2c per inch list.
(e) For rabbeting sash to receive stops add per sash list 5c.
The minimum charge for stops or rabbeting will be net 15c.
(f) For stops or glass bead for diamond, also sprung stops for segment or circle lights add.....50%

BENT SASH

Rule 16—(a) For open square head 1-light bent sash, either 1 3/4 or 1 3/4 inches thick, not over 2 feet wide, add to the open list of a regular sash of same size.....\$10.00 list
(b) For each additional 6 inches in width or fraction thereof add.....2.50 list
(c) For bent bars add 20% of above extras for each bent bar.
(d) For bent open windows double the list for a similar bent sash.
(e) For bent sash thicker than 1 3/4 inches add to the above extras for each 1/2 inch or fraction thereof.....25%

OIL FINISH

Rule 17—For windows or sash selected for oil finish, add of the open list to open or glazed list.....10%

GLAZING

Rule 18—(a) For glazing with AA glass add of the 1 3/4-inch glazed list.....33 1/2%
(b) In figuring glass of unlisted glazed sash with marginal or divided lights, either diamond, square, peak, or otherwise, figure as though sash was glazed with but one full light of glazing with putty each square or diamond light per light.....5c list
(c) For each light cut odd shape, if glazed, add extra.....10c list
(d) For windows or sash glazed with white chip, Florentine, or similar glass of equal value, add to D. S. glazed list for each square foot of glass measure.....40c list

STORM SASH

Rule 19—(a) 1 3/4-inch storm sash, with regular 2 1/4-inch wide stiles over all, take the same list as given for a 1 3/4-inch check rail window with an equal number of lights of the same size.
(b) For 1 3/4-inch storm sash add of the 1 3/4-inch open storm sash list to the open or glazed list.....20%

RABBETING

Rule 20—(a) For rabbeting outside edge of rails, or stiles of windows or sash, add to the list for each edge rabbeted (except as below).....15c list
(b) For rabbeting standard size check rails of windows, per window.....25c list
(c) For rabbeting in pairs center stiles of casement or cupboard sash, per pair.....30c list
(d) For rabbeting sash for plate or other thick glass, add for each sash so rabbeted.....5c list
NOTE—The minimum charge under Rule 21 for any one order will be.....15c net

WATER DRIPS

Rule 21—Grooving bottom rail and furnish stock pattern water drip for same, loose:
(a) 3 feet and under in length, add...75c list
(b) Over 3 feet, up to 5 feet, add....\$1.25 list



Four Panel O G Doors

No. 200

Raised panels both sides

Size of Door	Thick-ness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
2-0x6-0	1 1/4	\$5.15	\$4.65	\$3.85
2-6x6-0	"	5.90	5.35	
2-8x6-0	"	6.05	5.50	
3-0x6-0	"	7.15	6.45	
2-4x6-4	"	5.55	5.05	
2-0x6-6	"	5.60	5.10	
2-6x6-6	"	5.90	5.35	4.30
2-6x6-8	"	6.00	5.45	
2-8x6-8	"	6.05	5.50	4.60
2-10x6-10	"	7.65	6.90	5.35
2-6x7-0	"	7.60	6.85	
3-0x7-0	"	8.15	7.30	5.70
2-0x6-0	1 1/2	5.70	5.15	4.20
2-6x6-0	"	6.50	5.90	
2-8x6-0	"	6.70	6.05	
3-0x6-0	"	7.90	7.15	
2-4x6-4	"	6.10	5.55	
2-0x6-6	"	6.15	5.60	
2-2x6-6	"	6.30	5.70	
2-4x6-6	"	6.30	5.70	
2-6x6-6	"	6.50	5.90	4.75
2-8x6-6	"	6.70	6.05	
3-0x6-6	"	8.50	7.70	
2-0x6-8	"	6.25	5.65	
2-2x6-8	"	6.40	5.80	
2-4x6-8	"	6.40	5.80	
2-6x6-8	"	6.65	6.00	
2-8x6-8	"	6.70	6.05	5.05
2-10x6-8	"	8.00	7.25	
3-0x6-8	"	8.50	7.70	
2-0x6-10	"	7.40	6.70	
2-2x6-10	"	7.60	6.85	
2-4x6-10	"	7.60	6.85	
2-6x6-10	"	7.65	6.90	
2-8x6-10	"	7.65	6.90	
2-10x6-10	"	8.00	7.25	5.90
3-0x6-10	"	8.50	7.70	
2-0x7-0	"	7.55	6.85	
2-2x7-0	"	7.65	6.90	
2-4x7-0	"	7.65	6.90	
2-6x7-0	"	7.70	6.95	
2-8x7-0	"	7.90	7.15	
2-10x7-0	"	8.15	7.35	
3-0x7-0	"	8.50	7.70	6.30
2-6x7-6	"	9.45	8.55	
2-8x7-6	"	9.90	8.95	
2-10x7-6	"	10.40	9.40	
3-0x7-6	"	10.85	9.80	
2-6x8-0	"	10.80	9.75	
2-8x8-0	"	11.25	10.15	
3-0x8-0	"	12.30	11.10	
2-6x6-6	1 1/4	9.60	8.65	
2-8x6-8	"	9.90	8.95	
2-10x6-10	"	11.85	10.70	
2-6x7-0	"	11.40	10.30	
2-8x7-0	"	11.70	10.55	
2-10x7-0	"	12.10	10.90	
3-0x7-0	"	12.60	11.40	
2-6x7-6	"	14.05	12.70	
2-8x7-6	"	14.70	13.25	
2-10x7-6	"	15.45	13.95	
3-0x7-6	"	16.15	14.55	
2-6x8-0	"	16.05	14.50	
2-8x8-0	"	16.75	15.10	
3-0x8-0	"	18.30	16.50	
3-0x8-6	"	21.50	19.40	
3-0x9-0	"	23.70	21.35	



Five Panel O G Doors

No. 201

Raised panels both sides

Size of Door	List 1 1/4 in. No. 1 Quality	List 1 1/4 in. No. 2 Quality	List 1 1/4 in. No. 1 Quality	List 1 1/4 in. No. 2 Quality
2-0x6-0	\$6.00	\$5.45		
2-0x6-6	6.70	6.10		
2-4x6-6	6.70	6.10		
2-6x6-6	6.80	6.20	\$9.90	\$8.95
2-8x6-6	7.00	6.35		
2-0x6-8	6.85	6.25		
2-4x6-8	6.85	6.25		
2-6x6-8	6.95	6.30		
2-8x6-8	7.00	6.35	10.20	9.25
2-0x6-10	7.90	7.15		
2-4x6-10	7.90	7.15		
2-6x6-10	7.95	7.20		
2-8x6-10	7.95	7.20		
2-10x6-10	8.30	7.55	12.15	11.00
2-0x7-0	7.95	7.20		
2-4x7-0	7.95	7.20		
2-6x7-0	8.00	7.25	11.70	10.60
2-8x7-0	8.20	7.45	12.00	10.85
2-10x7-0	8.45	7.65	12.40	11.20
3-0x7-0	8.80	8.00	12.90	11.70
2-6x7-6	9.75	8.85	14.35	13.00
2-8x7-6	10.20	9.25	15.00	13.55
2-10x7-6	10.70	9.70	15.75	14.25
3-0x7-6	11.15	10.10	16.45	14.85
2-6x8-0	11.10	10.05	16.35	14.80
2-8x8-0	11.55	10.45	17.05	15.40
3-0x8-0	12.60	11.40	18.60	16.80

Five Cross Panel O G Doors

No. 202 1/2

Raised panels both sides

Size of Door	List 1 1/4 in. No. 1 Quality	List 1 1/4 in. No. 2 Quality	List 1 1/4 in. No. 1 Quality	List 1 1/4 in. No. 2 Quality
2-0x6-0	\$6.00	\$5.45		
2-0x6-6	6.70	6.10		
2-4x6-6	6.70	6.10		
2-6x6-6	6.80	6.20	\$9.90	\$8.95
2-8x6-6	7.00	6.35		
2-0x6-8	6.85	6.25		
2-4x6-8	6.85	6.25		
2-6x6-8	6.95	6.30		
2-8x6-8	7.00	6.35	10.20	9.25
2-0x6-10	7.90	7.15		
2-4x6-10	7.90	7.15		
2-6x6-10	7.95	7.20		
2-8x6-10	7.95	7.20		
2-10x6-10	8.30	7.55	12.15	11.00
2-0x7-0	7.95	7.20		
2-4x7-0	7.95	7.20		
2-6x7-0	8.00	7.25	11.70	10.60
2-8x7-0	8.20	7.45	12.00	10.85
2-10x7-0	8.45	7.65	12.40	11.20
3-0x7-0	8.80	8.00	12.90	11.70
2-6x7-6	9.75	8.85	14.35	13.00
2-8x7-6	10.20	9.25	15.00	13.55
2-10x7-6	10.70	9.70	15.75	14.25
3-0x7-6	11.15	10.10	16.45	14.85
2-6x8-0	11.10	10.05	16.35	14.80
2-8x8-0	11.55	10.45	17.05	15.40
3-0x8-0	12.60	11.40	18.60	16.80

Five-panel 1 1/4-inch doors, when ordered in stock quantities, use list for 1 1/4-inch four-panel door same size and add 30c. For same in less than stock quantities, use 1 1/4-inch five panel list same size.

Five cross panel 1 1/4-inch doors, when ordered in stock quantities, use list for 1 1/4-inch four panel door same size and add 60c. For same in less than stock quantities, use 1 1/4-in. 5-cross panel list for same size.

For 201 1/2 O G Door, three cross and two upright panels, use five cross panel O G list for same size.

For Other Sizes and Door Extras See Pages 22 and 23

Five Cross Panel Doors Bead and Cove

No. 202 ¾

Raised panels both sides

Size of Door	List 1 ¾ in. No. 1 Quality	List 1 ½ in. No. 2 Quality	List 1 ¾ in. No. 1 Quality	List 1 ¾ in. No. 2 Quality
2-0 x 6-0	\$6.20	\$5.65		
2-0 x 6-6	6.90	6.30		
2-2 x 6-6	6.90	6.30		
2-4 x 6-6	6.90	6.30		
2-6 x 6-6	7.00	6.40	\$10.10	\$9.15
2-8 x 6-6	7.20	6.55		
2-0 x 6-8	7.05	6.45		
2-2 x 6-8	7.05	6.45		
2-4 x 6-8	7.05	6.45		
2-6 x 6-8	7.15	6.50		
2-8 x 6-8	7.20	6.55	10.40	9.45
2-0 x 6-10	8.10	7.35		
2-2 x 6-10	8.10	7.35		
2-4 x 6-10	8.10	7.35		
2-6 x 6-10	8.15	7.40		
2-8 x 6-10	8.15	7.40		
2-10 x 6-10	8.50	7.75	12.35	11.20
2-0 x 7-0	8.15	7.40		
2-2 x 7-0	8.15	7.40		
2-4 x 7-0	8.15	7.40		
2-6 x 7-0	8.20	7.45	11.90	10.80
2-8 x 7-0	8.40	7.65	12.20	11.05
2-10 x 7-0	8.65	7.85	12.60	11.40
3-0 x 7-0	9.00	8.20	13.10	11.90
2-6 x 7-6	9.95	9.05	14.55	13.20
2-8 x 7-6	10.40	9.45	15.20	13.75
2-10 x 7-6	10.90	9.90	15.95	14.45
3-0 x 7-6	11.35	10.30	16.65	15.05
2-6 x 8-0	11.30	10.25	16.55	15.00
2-8 x 8-0	11.75	10.65	17.25	15.60
3-0 x 8-0	12.80	11.60	18.80	17.00

For five cross panel 1 ¾ inch doors when ordered in stock quantities use list for 1 ¾ inch four panel door, same size, and add 80c. For same in less than stock quantities, use 1 ¾ inch five cross panel list for same size. For No. 201 ¾ bead and cove door, three cross and two upright panels, use five cross panel bead and cove list for same size.

Four Panel O G Doors

No. 200

¾ Inch Thick

Raised panels one side

Size of Door	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
2-0 x 6-0	\$4.65	\$4.20	\$3.50
2-4 x 6-4	5.05	4.60	
2-0 x 6-6	5.05	4.60	
2-6 x 6-6	5.35	4.85	3.90
2-8 x 6-8	5.45	5.00	4.15

1-inch doors finish 12-16 inch thick; raised panels 1 S. flat 1 S.

No. 4 Quality O G Doors

¾, 1 ¾ and 1 ¾ Inches Thick

Size of Door	Thickness	List 4-Panel Door No. 4 Quality	List 4-Panel Door Painted	List 5-Panel Door No. 4 Quality	List 5-Panel Door Painted
2-0 x 6-0	12-16	\$2.35	\$3.00		
2-6 x 6-6	12-16	2.60	3.25		
2-8 x 6-8	12-16	2.75	3.40		
Above doors have bevel raised panels one side only.					
2-0 x 6-0	1 ¾	2.60	3.25	\$2.80	\$3.45
2-6 x 6-6	1 ¾	2.90	3.55	3.10	3.75
2-8 x 6-8	1 ¾	3.05	3.70	3.25	3.90
2-10 x 6-10	1 ¾	3.55	4.20	3.75	4.40
3-0 x 7-0	1 ¾	3.70	4.35	3.90	4.55
2-0 x 6-0	1 ¾	2.85	3.50	3.05	3.70
2-6 x 6-6	1 ¾	3.20	3.85	3.40	4.05
2-8 x 6-8	1 ¾	3.40	4.05	3.60	4.25
2-10 x 6-10	1 ¾	3.95	4.60	4.15	4.80
3-0 x 7-0	1 ¾	4.10	4.75	4.30	4.95

No. 4 Quality O G Sash Doors

1 ¾ Inches Thick

No. 210. Four Light O G Door

Size of Door	List Open No. 4 Quality	List Open Painted	List Glazed Painted
2-6 x 6-6	\$3.55	\$4.20	\$6.15
2-8 x 6-8	3.75	4.40	6.65
2-10 x 6-10	4.30	4.95	7.45
3-0 x 7-0	4.45	5.10	8.05

No. 211. Two Light O G Door

Size of Door	List Open No. 4 Quality	List Open Painted	List Glazed Painted
2-6 x 6-6	\$3.55	\$4.20	\$6.35
2-8 x 6-8	3.75	4.40	7.15
2-10 x 6-10	4.30	4.95	7.85
3-0 x 7-0	4.45	5.10	8.85

No. 212. One Light O G Door

Size of Door	List Open No. 4 Quality	List Open Painted	List Glazed Painted
2-6 x 6-6	\$3.40	\$4.05	\$7.35
2-8 x 6-8	3.60	4.25	8.35
2-10 x 6-10	4.15	4.80	9.45
3-0 x 7-0	4.30	4.95	11.05

No. 212 ¾. Three Panel, One Light O G Door


Size of Door	List Open No. 4 Quality	List Open Painted	List Glazed Painted
2-6 x 6-6	\$3.60	\$4.25	\$7.20
2-8 x 6-8	3.80	4.45	7.80
2-10 x 6-10	4.35	5.00	9.10
3-0 x 7-0	4.50	5.15	9.80

For grained doors add 20c net.
For No. 213 door, No. 4 quality or painted, add to list of No. 211 door open or glazed, \$1.25 List.

O G SASH DOORS

No. 1 Quality

Raised panels two sides.



No. 210




No. 211

LISTED SIZES OF


Two and Four Light O G Sash Doors

1 3/8 Inches Thick.

Size of Door	List Open No. 210 or No. 211	No. 210 List Glazed	No. 211 List Glazed
2- 6 x 6- 6	\$6.70	\$8.65	\$8.85
2- 8 x 6- 8	6.90	9.15	9.65
2-10 x 6-10	8.20	10.70	11.10
2- 6 x 7- 0	7.90	10.00	10.50
2- 8 x 7- 0	8.10	10.55	11.40
3- 0 x 7- 0	8.70	11.65	12.45
3- 0 x 7- 6	11.05	14.50	17.70
3- 0 x 8- 0	12.50	16.60	20.60



212



212 1/2


LISTED SIZES OF

One Light O G Sash Doors

1 3/8 Inches Thick.

Size of Door	212 List Open	212 List Glazed	212 1/2 List Open	212 1/2 List Glazed
2- 6 x 6- 6	\$6.45	\$9.75	\$6.75	\$9.70
2- 8 x 6- 8	6.65	10.75	6.95	10.25
2-10 x 6-10	7.95	12.60	8.25	12.35
2- 6 x 7- 0	7.65	12.30	7.95	11.25
2- 8 x 7- 0	7.85	12.50	8.15	12.25
3- 0 x 7- 0	8.45	14.55	8.75	13.40
3- 0 x 7- 6	10.80	18.00	11.10	17.20
3- 0 x 8- 0	12.25	20.20	12.55	19.75

For 1 1/4-inch sash doors, add 50 per cent of the 1 1/4-inch 4 panel list, same size.
This list does not include stops.



214

LISTED SIZES OF

One Light O G Sash Doors

1 3/8 Inches Thick.

Size of Door	List Open	List Glazed D. S.
2- 6 x 6- 6	\$7.05	\$9.25
2- 8 x 6- 8	7.25	9.95
2-10 x 6-10	8.55	11.85
2- 6 x 7- 0	8.25	11.20
2- 8 x 7- 0	8.45	11.45
3- 0 x 7- 0	9.05	13.15
3- 0 x 7- 6	11.40	16.05
3- 0 x 8- 0	12.85	18.95

Side Lights for Doors



Two or Three Lights.

O G Two Sides

1 3/8 Inches Thick.



Size of Opening	Thick-ness	List for each Open	List for Each Glazed
1- 0 x 6- 6	1 3/8	\$2.60	\$3.60
6- 8	"	2.65	3.65
6-10	"	3.00	4.10
7- 0	"	3.05	4.15
7- 6	"	3.40	4.75
1- 2 x 6- 6	"	2.80	3.85
6- 8	"	2.85	3.90
6-10	"	3.20	4.30
7- 0	"	3.25	4.35
7- 6	"	3.60	4.95
8- 0	"	4.35	5.85

Above prices are for two or three lights in each side light. State in ordering how many lights are desired.


Above list subject to door discount.
For above side lights, 1 1/4 inches thick, add 50 per cent of the open list, either open or glazed.
For bead and cove, add 20c list per pair. For moulding panel with flush moulding, add for each side moulded, for each panel, 55c list.

For wider than listed add for each additional two inches in width 15 per cent list.

For Other Sizes and Door Extras See Pages 22 and 23

SINGLE STORE DOORS

No. 1 Quality



775

LISTED SIZES OF

Store Doors, O G Panels, Two Light

Size of Door	List 1 1/4-in. Open	List 1 3/4-in. Glazed D. S.	List 1 1/4-in. Open	List 1 3/4-in. Glazed D. S.
3-0 x 7-0	7.85	\$14.70	\$11.80	\$18.70
7-6	8.60	15.40	12.90	19.70
8-0	9.90	18.05	14.85	23.00
8-6	10.80	20.00	16.20	25.40
3-4 x 7-0	8.70	16.85	13.05	21.20
7-6	9.30	18.50	13.95	23.15
8-0	10.50	19.70	15.75	24.95
8-6	11.45	22.10	17.20	27.85

DOUBLE STORE DOORS

No. 1 Quality



780

781


LISTED SIZES OF

Store Doors, O G Panel, Two Lights


Size of Pairs	List 1 1/4-in. Open	List 1 3/4-in. Glazed D. S.	List 1 1/4-in. Open	List 1 3/4-in. Glazed D. S.
5-0 x 7-0	\$14.35	\$23.75	\$21.55	\$30.95
7-6	15.75	26.25	23.60	34.20
8-0	18.40	30.75	27.60	39.95
8-6	20.30	33.90	30.45	44.10
6-0 x 7-6	17.20	30.80	25.80	39.40
8-0	19.80	36.10	29.70	46.00
8-6	21.60	40.00	32.40	50.80
9-0	24.25	42.70	36.40	54.80

Panels for store front, solid mould, 1 3/8 inch thick per square foot, 70c list. Panels for store front, solid mould 1 3/4 inch thick, per square foot \$1.00 list. For moulding-panels with flush moulding, add for each panel moulded, per side, 60c list. For moulding panels with raised moulding, add for each panel moulded, per side, \$1.20 list.

O G CUPBOARD DOORS



240



242

Doors 1- 6 x 2-6 to 1- 8 x 2-10, 1 or 2 panel.
 " 1-10 x 2-6 to 2- 0 x 3- 0, 2 panel.
 " 1- 6 x 4-0 to 2- 0 x 5- 6, 2 or 4 panel.

For cupboard doors with cross panels add 15c list.

For rabbeting single pair, add 15c net; for two pairs or more, add 10c per pair.

For 1 3/8-inch cupboard doors, add to 1 3/8-inch list, 15 per cent.

For bead and cove, add 10c list.

For cupboard doors with a greater number of panels than provided for in above list for such size, add 10c list for each extra panel.

Minimum charge, 50c net.


3/4 and 1 1/4 Inches Thick

Size of Door	List 1 1/4 in. No. 1 Quality	List 1 3/4 in. No. 2 Quality	List 1 1/4 in. No. 1 Quality	List 1 3/4 in. No. 2 Quality
1- 6 x 2- 6	\$1.85	\$1.75	\$1.50	\$1.40
2- 8	1.95	1.85	1.55	1.50
2-10	2.05	1.95	1.65	1.55
1- 8 x 2- 6	2.00	1.90	1.60	1.50
2- 8	2.10	2.00	1.70	1.60
2-10	2.20	2.10	1.75	1.65
1-10 x 2- 6	2.10	2.00	1.70	1.60
2- 8	2.20	2.10	1.75	1.65
2-10	2.30	2.20	1.85	1.75
2- 0 x 2- 6	2.25	2.15	1.80	1.70
2- 8	2.35	2.20	1.90	1.80
2-10	2.45	2.30	1.95	1.85
3- 0	2.60	2.45	2.10	2.00
1- 6 x 4- 0	2.95	2.80	2.35	2.25
4- 6	3.20	3.05	2.55	2.45
5- 0	3.50	3.30	2.80	2.65
1- 8 x 4- 0	3.15	3.00	2.50	2.35
4- 6	3.45	3.30	2.75	2.65
5- 0	3.75	3.60	3.00	2.85
1-10 x 4- 6	3.65	3.45	2.90	2.75
5- 0	4.00	3.80	3.20	3.05
5- 6	4.30	4.10	3.45	3.30
2- 0 x 4- 6	3.90	3.70	3.10	2.95
5- 0	4.25	4.05	3.40	3.25
5- 6	4.35	4.15	3.50	3.30


For Other Sizes and Door Extras See Pages 22 and 23

CLOSET DOORS


Stationary Slats.




184



185



186



187

Size of Door	184 List 1 1/4 in. No. 1 Quality	185 List 1 1/4 in. No. 1 Quality	186 List 1 1/4 in. No. 1 Quality	187 List 1 1/4 in. No. 1 Quality
2- 0 x 4- 0	\$5.90	\$5.00	\$4.80	\$5.60
2- 0 x 4- 6	6.10	5.20	5.00	5.80
2- 0 x 5- 0	6.30	5.40	5.20	6.00
2- 0 x 6- 0	6.75	5.85	5.65	6.45
2- 6 x 6- 6	7.55	6.65	6.45	7.25
2- 8 x 6- 8	7.75	6.85	6.65	7.45
2-10 x 6-10	8.90	8.00	7.80	8.60
3- 0 x 7- 0	9.45	8.55	8.35	9.15

For 1 1/4 inch closet doors, add to above prices
15 per cent list.

DOOR EXTRAS

Note "A"—When the term "Stock Quantities" is used in these rules it means 10 or more of one size, style and quality.

Note "B"—For irregular or intermediate sizes, in stock quantities, use the same list as next larger listed size. For less than stock quantities on sizes not listed, an extra 10% will be charged.

LARGER THAN LISTED.

Rule 1—(a) For list on doors wider than listed sizes, use the list of a 3-foot door, same height, and add for each additional 6 inches or part thereof. 25% list

(b) For list on doors longer than listed sizes use the list of the longest similar door of same width, and add for each additional 6 inches or part thereof. 15% list

(c) For single doors made to represent a pair, add. \$2.50 list

THICK DOORS.

Rule 2—(a) For 1 3/4-inch doors, not otherwise provided for, add of the 1 1/2-inch four panel door list for same size. 50% list

(b) For list on 2 or 2 1/4-inch doors (single or double thick) form list for a similar 1 3/4-inch door and add. 50% list

(c) For list on 2 1/2-inch door (single or double thick) form list for a similar 1 3/4-inch door and add. 70% list

(d) For list extras on doors thicker than 1 3/4 inches, where extras are specified as applying to 1 3/4-inch doors, add for the different thicknesses same percentage as above.

WIDE STILES, RAILS OR MUNTS.

Rule 3—(a) For 1 3/4-inch doors with stiles and top rails wider than 4 3/4 inches (including solid mould) add for each additional 1 inch or part thereof. 75c list

(b) For 1 3/4-inch doors with cross rails (other than top, lock or bottom rails) wider than 4 3/4 inches (including solid mould), add for each wide rail for each additional 1 inch or part thereof. 15c list

(c) For 1 3/4 inch doors with lock or bottom rails wider than 8 3/4 or 9 3/4 inches respectively (including solid mould), add for each wide rail for each additional 1 inch or part thereof. 25c list

(d) Sliding doors having one stile wider than regular, add per door two-thirds price in Note "A".

PANELS.

Rule 4—(a) Arrangement of panels. Doors No. 200 and 201, over 3-0 and not wider than 4-0, 3 panels wide.

Doors No. 200 and 201, over 4-0 and not wider than 4-10, 3 or 4 panels wide.

Doors No. 200 and 201, over 4-10 and not wider than 6-0, 4 or 5 panels wide.

Doors No. 200 and 201, over 6-0 and not wider than 7-0, 5 or 6 panels wide.

Cross panel doors up to and including 7-4, 5 panels high.

Cross panel doors 7-6 and not higher than 8-6, 6 or 7 panels high.

Cross panel doors 8-8 and not higher than 10-0, 7 or 8 panels high.

For a less number of panels (making wider panels), special price will be charged.

DOOR EXTRAS

ADDITIONAL PANELS.

Note "B"—For more panels than provided for in the lists, add for each additional panel..... 30c list

CROSS PANELS.

Note "C"—For doors having two or more cross panels not covered or otherwise provided for, add to their respective list for crossing panels..... 30c list

GRADUATED PANELS.

Note "D"—For graduated panels, add for each panel..... 30c list

MOULDED PANELS.

Rule 5—Doors with moulded panels, add to the list of similar 1 $\frac{3}{4}$ or 1 $\frac{1}{4}$ inch O G door as follows:
 Flush moulded, 1 side, per panel..... 40c list
 Flush moulded, 2 sides, per panel..... 65c list
 Raised mould, 1 side, per panel..... 80c list
 Raised mould, 2 sides, per panel..... \$1.30 list

DIFFERENT STYLES OF DOORS.

Rule 6—(a) (One Panel) For one panel doors, special price.
 (b) (Two Panel) For two panel doors, 1 wide and 2 high, special price.
 (c) (Two Panel) For two panel doors, 2 wide and 1 high, use 4-panel list and add 15% list
 (d) (Three Panel) For three-panel doors, special price.
 (e) For four cross panel doors, special price.

SASH DOORS.

Rule 7—(a) For sash doors not listed add to the list of a similar panel door of the same size:

If 1 light No. 4 quality..... 20c list
 No. 1 and 2 quality..... 25c list
 If 2 light No. 4 quality..... 40c list
 No. 1 and 2 quality..... 50c list
 If 4 light No. 4 quality..... 40c list
 No. 1 and 2 quality..... 50c list

(b) For sash doors with marginal or divided lights, add to the list of a similar 1 light door for each light, the same amount as provided in Rule 4, Sash Extras, page 53.

(c) For list on solid mould doors, 3 feet wide or less, segment head or segment corner glass, add to list for a similar 1-light door with square glass..... \$1.50 list

(d) For list on solid mould doors, 3 feet wide or less, half circle or gothic glass, add to list for a similar 1-light door with square glass..... \$6.00 list

(e) For list on solid mould doors, 3 feet wide or less, with gothic 2-light glass, add to list for a similar 2-light door with square glass..... \$2.80 list

(f) For raised mould sash or panel doors, 3 feet wide or less, with circle top glass or panels, add to proper list for each side moulded..... \$2.50 list

(g) For doors glazed with enameled, chipped or colored glass (any color except ruby), add to glazed list for each square foot of glass measure..... 40c per ft
 If ruby, add..... 70c per ft

GLASS BEADS.

Rule 8—For beads or stops around glass in a door with one or more square lights, add to the proper list for such door for beads around each light of:

16 united inches or less	18c list
17 to 28 " "	25c list
29 to 40 " "	30c list
41 to 52 " "	40c list
53 to 64 " "	45c list
65 to 76 " "	55c list
77 to 88 " "	70c list
89 to 100 " "	85c list

STICKING.

Rule 9—For P. G. Ovolo, B. & C. or C. & B. sticking, not covered in lists, add to lists of a similar O. G. door..... 20c list

DUTCH DOORS.

Rule 10—For Dutch doors or doors made to cut through lock rail, add to list of a similar door of same size..... \$1.50 list
 For same, cut and rabbeted..... \$2.50 list

OIL FINISH AA.

Rule 11—(a) For AA selected stock doors for oil finish (machine smoothed) add to proper list for No. 1 door..... 80c list

OIL FINISH AAA.

(b) For AAA doors, 3-0 x 9-0 and under, free from sap and knots (machine smoothed), for oil finish add to proper list for No. 1 door..... \$2.00 list
 (c) For AAA doors, 3-0 x 9-0 and under, free from sap and knots (hand smoothed) for oil finish, add to proper list for No. 1 door..... \$3.00 list

BANDING.

Rule 12—For banding sliding doors, two sides, add to proper price for such doors for each lineal foot, measured around the opening of each door..... 5c net

RABBETING.

Rule 13—For rabbeting and beading folding doors, made extra wide for rabbeting, add to proper price for such door, per pair..... 50c net

ASTRAGALS.

Rule 14—(a) For single astragals for folding doors not over eight feet high, add:
 If doors are 1 $\frac{3}{4}$ -inch thick or less..... 30c net
 If doors are 2 $\frac{1}{4}$ or 2 $\frac{1}{2}$ inch thick..... 80c net
 (b) For double astragal for sliding doors not over eight feet high, add:
 If doors are 1 $\frac{3}{4}$ -inch thick or less..... 60c net
 If doors are 2 $\frac{1}{4}$ or 2 $\frac{1}{2}$ inches thick or less..... 1.25 net
 (c) For lengths over 8 feet add for each additional 2 feet or part thereof..... 20%
 (d) For astragal joint on stiles add:
 If doors are 1 $\frac{3}{4}$ -inch thick or less..... 50c net
 If doors are 2 $\frac{1}{4}$ or 2 $\frac{1}{2}$ inches thick..... 75c net

APPROXIMATE WEIGHTS OF WINDOWS

Size of Window	No. of Lights	Thickness	Weight Open	Weight glazed S. S.	Size of Window	No. of L'ts.	Thickness	Weight Open	Weight glazed S. S.	Weight glazed D. S.
8 x 10	8	1 1/8	5	10	10 x 32	4	1 1/8	9 1/2	22	
12	8	1 1/8	5	12	34	4	1 1/8	10	23	
14	8	1 1/8	7	14	36	4	1 1/8	11	24	
16	8	1 1/8	8	18	12 x 16	4	1 1/8	6	15	
9 x 12	8	1 1/8	6	14	18	4	1 1/8	7	17	
14	8	1 1/8	7	17	20	4	1 1/8	7	18	
16	8	1 1/8	9	18	22	4	1 1/8	8	19	
10 x 12	8	1 1/8	8	15	24	4	1 1/8	8	20	
14	8	1 1/8	8	18	26	4	1 1/8	9	21	
16	8	1 1/8	9	20	28	4	1 1/8	9	22	
18	8	1 1/8	10	23	30	4	1 1/8	10	23	
12 x 14	8	1 1/8	9	19	32	4	1 1/8	11	25	
16	8	1 1/8	11	22	34	4	1 1/8	12	26	
18	8	1 1/8	12	25	36	4	1 1/8	12	27	
					38	4	1 1/8	13	29	
9 x 12	8	1 1/8	8	17	40	4	1 1/8	13	31	
14	8	1 1/8	9	18	42	4	1 1/8	14	32	
16	8	1 1/8	9	20	44	4	1 1/8	14	33	
10 x 12	8	1 1/8	9	18	46	4	1 1/8	15	35	
14	8	1 1/8	10	19	48	4	1 1/8	15	36	
16	8	1 1/8	11	22	14 x 20	4	1 1/8	9	20	
18	8	1 1/8	12	24	22	4	1 1/8	9 1/2	22	
12 x 14	8	1 1/8	11	23	24	4	1 1/8	10	23	
16	8	1 1/8	12	24	26	4	1 1/8	10 1/2	24	
18	8	1 1/8	13	27	28	4	1 1/8	11	25	
14 x 16	8	1 1/8	13	28	30	4	1 1/8	12	27	
18	8	1 1/8	14	31	32	4	1 1/8	12	29	32
20	8	1 1/8	15	35	34	4	1 1/8	12 1/2	31	34
					36	4	1 1/8	13	32	35
7 x 9	12	1 1/8	6	15	38	4	1 1/8	13	33	36
8 x 10	12	1 1/8	7	17	40	4	1 1/8	13 1/2	34	38
12	12	1 1/8	8	18	42	4	1 1/8	14	35	40
14	12	1 1/8	9	19	44	4	1 1/8	14	36	42
9 x 12	12	1 1/8	9	20	46	4	1 1/8	15	38	44
13	12	1 1/8	9	21	48	4	1 1/8	15	40	45
14	12	1 1/8	9	22	15 x 24	4	1 1/8	10 1/2	24	27
15	12	1 1/8	9	23	26	4	1 1/8	11	25	29
16	12	1 1/8	9	24	28	4	1 1/8	11 1/2	27	30
18	12	1 1/8	10	26	30	4	1 1/8	12	29	32
10 x 12	12	1 1/8	9	21	32	4	1 1/8	12	31	34
14	12	1 1/8	9	23	34	4	1 1/8	12 1/2	33	36
16	12	1 1/8	10	26	36	4	1 1/8	13	35	38
18	12	1 1/8	10	29	38	4	1 1/8	13 1/2	36	39
20	12	1 1/8	11	31	40	4	1 1/8	14	37	40
12 x 14	12	1 1/8	10	25	42	4	1 1/8	14 1/2	38	42
16	12	1 1/8	10	28	44	4	1 1/8	15	39	44
18	12	1 1/8	10	31	46	4	1 1/8	15	42	45
					48	4	1 1/8	15 1/2	44	47
8 x 10	12	1 1/8	8	19	12 x 20	2	1 1/8	6	11	
12	12	1 1/8	9	20	22	2	1 1/8	6	12	
14	12	1 1/8	10	22	24	2	1 1/8	6 1/2	13	
9 x 12	12	1 1/8	10	22	26	2	1 1/8	7	13	
14	12	1 1/8	11	24	28	2	1 1/8	7	13	
15	12	1 1/8	11	25	30	2	1 1/8	8	14	
16	12	1 1/8	11	27	32	2	1 1/8	8	15	
10 x 12	12	1 1/8	11	23	34	2	1 1/8	9	16	
14	12	1 1/8	12	26	36	2	1 1/8	9	17	
15	12	1 1/8	12	27	14 x 20	2	1 1/8	6 1/2	12	
16	12	1 1/8	13	29	22	2	1 1/8	7	12	
18	12	1 1/8	13	32	24	2	1 1/8	8	13	
20	12	1 1/8	14	36	26	2	1 1/8	8	14	
12 x 14	12	1 1/8	14	32	28	2	1 1/8	9	16	
16	12	1 1/8	14	36	30	2	1 1/8	10	17	
18	12	1 1/8	15	38	32	2	1 1/8	10	18	
20	12	1 1/8	15	40	34	2	1 1/8	10	19	
10 x 16	4	1 1/8	5 1/2	13	36	2	1 1/8	11	20	
18	4	1 1/8	6	14	16 x 20	2	1 1/8	7	12	14
20	4	1 1/8	6	16	22	2	1 1/8	7	13	15
22	4	1 1/8	7	17	24	2	1 1/8	7 1/2	14	16
24	4	1 1/8	8	18	26	2	1 1/8	8	15	17
26	4	1 1/8	8	19	28	2	1 1/8	8	16	18
28	4	1 1/8	9	20	30	2	1 1/8	8 1/2	17	19
30	4	1 1/8	9	21	32	2	1 1/8	9	18	20
					34	2	1 1/8	9 1/2	20	22
					36	2	1 1/8	10	21	23

(Continued on next page.)

APPROXIMATE WEIGHTS OF WINDOWS

(Continued)

Size of Window	No. of L'ts.	Thickness	Weight Open	Weight glazed S. S.	Weight glazed D. S.	Size of Window	No. of L'ts.	Thickness	Weight Open	Weight glazed S. S.	Weight glazed D. S.
18 x 20	2	1 1/8	7	13	15	26 x 42	2	1 1/8	12 1/2	35	38
22	2	1 1/8	7 1/2	14	16	44	2	1 1/8	13		39
24	2	1 1/8	8	16	18	46	2	1 1/8	13		40
26	2	1 1/8	8	17	19	48	2	1 1/8	13 1/2		42
28	2	1 1/8	8 1/2	18	20	28 x 28	2	1 1/8	10	25	28
30	2	1 1/8	9	19	21	30	2	1 1/8	10 1/2	27	30
32	2	1 1/8	9 1/2	20	22	32	2	1 1/8	11	29	31
34	2	1 1/8	10	21	24	34	2	1 1/8	11 1/2	31	33
36	2	1 1/8	10	23	25	36	2	1 1/8	12	32	35
38	2	1 1/8	10 1/2	24	26	38	2	1 1/8	12	33	36
40	2	1 1/8	11	25	28	40	2	1 1/8	12 1/2	33	37
20 x 20	2	1 1/8	7 1/2	15	17	42	2	1 1/8	13		39
22	2	1 1/8	8	16	18	44	2	1 1/8	13		41
24	2	1 1/8	8	17	19	46	2	1 1/8	13 1/2		43
26	2	1 1/8	8 1/2	19	21	48	2	1 1/8	14		44
28	2	1 1/8	9	21	23	30 x 30	2	1 1/8	11	29	32
30	2	1 1/8	9 1/2	22	24	32	2	1 1/8	11 1/2	31	34
32	2	1 1/8	9 1/2	23	25	34	2	1 1/8	12	33	36
34	2	1 1/8	10	24	26	36	2	1 1/8	12	35	38
36	2	1 1/8	10 1/2	25	27	38	2	1 1/8	12 1/2	36	39
38	2	1 1/8	11	26	28	40	2	1 1/8	13	37	40
40	2	1 1/8	11 1/2	27	29	42	2	1 1/8	13		41
22 x 24	2	1 1/8	8 1/2	19	21	44	2	1 1/8	13 1/2		43
26	2	1 1/8	9	20	22	46	2	1 1/8	14		45
28	2	1 1/8	9 1/2	21	23	48	2	1 1/8	14 1/2		46
30	2	1 1/8	9 1/2	22	24	32 x 32	2	1 1/8	12		35
32	2	1 1/8	10	24	26	34	2	1 1/8	12		37
34	2	1 1/8	10 1/2	25	27	36	2	1 1/8	12 1/2		39
36	2	1 1/8	11	26	28	38	2	1 1/8	13		41
38	2	1 1/8	11	28	30	40	2	1 1/8	13		42
40	2	1 1/8	12	29	31	42	2	1 1/8	13 1/2		44
42	2	1 1/8	12	31	33	44	2	1 1/8	14		46
44	2	1 1/8	12 1/2	32	34	46	2	1 1/8	14 1/2		47
46	2	1 1/8	13	34	36	48	2	1 1/8	15		48
48	2	1 1/8	13	35	38	34 x 34	2	1 1/8	12 1/2		38
24 x 24	2	1 1/8	9	20	22	36	2	1 1/8	13		40
26	2	1 1/8	9	21	23	38	2	1 1/8	13		42
28	2	1 1/8	9 1/2	23	25	40	2	1 1/8	13 1/2		44
30	2	1 1/8	10	25	27	42	2	1 1/8	14		46
32	2	1 1/8	10 1/2	26	28	44	2	1 1/8	14		47
34	2	1 1/8	11	27	30	46	2	1 1/8	14 1/2		49
36	2	1 1/8	11	28	32	48	2	1 1/8	15		51
38	2	1 1/8	11 1/2	30	33	36 x 36	2	1 1/8	13		41
40	2	1 1/8	12	31	34	38	2	1 1/8	13 1/2		43
42	2	1 1/8	12	33	35	40	2	1 1/8	14		46
44	3	1 1/8	12 1/2		36	42	2	1 1/8	14		48
46	2	1 1/8	13		38	44	2	1 1/8	14 1/2		50
48	2	1 1/8	13 1/2		39	46	2	1 1/8	15		51
26 x 26	2	1 1/8	9 1/2	23	25	48	2	1 1/8	15 1/2		53
28	2	1 1/8	10	24	27	40 x 40	2	1 1/8	14 1/2		49
30	2	1 1/8	10 1/2	26	29	42	2	1 1/8	15		51
32	2	1 1/8	10 1/2	27	30	44	2	1 1/8	15		53
34	2	1 1/8	11	29	32						
36	2	1 1/8	11 1/2	31	34						
38	2	1 1/8	12	32	35						
40	2	1 1/8	12	34	36						

APPROXIMATE WEIGHTS OF O G FOUR PANEL DOORS


SIZE	Thickness			
	1 in.	1 1/8 in.	1 1/2 in.	1 3/4 in.
2- 0 x 6- 0	17	23	28	
2- 4 x 6- 4	21	27	31	
2- 6 x 6- 6	23	30	35	42
2- 8 x 6- 8	25	32	37	46
2-10 x 6-10		35	40	52
3- 0 x 7- 0		38	45	55
3- 0 x 7- 6			50	60
3- 0 x 8- 0			55	65

For Moulded Doors add 5 pounds to each side moulded.


WEIGHT OF MOULDINGS.—1 x 1 inch, per 100 lineal feet, fifteen pounds.

OUTSIDE MOULDINGS

CROWN MOULDINGS



BED MOULDINGS




Prices quoted are for

100 lineal feet of Moulding


■ Above Patterns are Stock with us
For Size and List on other Designs See Pages 31 and 32

OUTSIDE AND INSIDE MOULDINGS




INSIDE MOULDINGS


APRON




PICTURE MOULDINGS






LATTICE







THRESHOLD



WINDOW STOOLS





DRIP CAPS and WATER TABLE





HUTTIG MFG. CO., MUSCATINE, IOWA

INSIDE MOULDINGS



CASINGS









CASING and BACK BAND



O. G. CASING and BASE





CAP TRIM





Prices quoted are for 100 lineal feet of Moulding
 Above Patterns are Stock with us
 For Size and List on other Designs See Pages 31 and 32

INSIDE MOULDINGS


CAP TRIM




BASE





EXTENSION JAMBS



ASTRAGAL



FRAME MOULDINGS



Prices quoted are for 100 lineal feet of Moulding

Above Patterns are Stock with us

For Size and List on other Designs See Pages 31 and 32

LIST PRICE OF MOULDINGS

Prices Quoted are for 100 Lineal Feet of Moulding.

No.	Size	Price	No.	Size	Price
8000	$\frac{3}{4}$ x $3\frac{1}{4}$	\$3.50	8117	$\frac{1}{2}$ x $1\frac{1}{2}$	\$1.25
8002	$\frac{3}{4}$ x $3\frac{3}{4}$	4.00	8118	$\frac{1}{2}$ x $1\frac{1}{2}$	1.25
8003	$\frac{3}{4}$ x $2\frac{1}{4}$	3.00	8119	$\frac{1}{2}$ x $1\frac{3}{4}$	1.50
8004	$\frac{3}{4}$ x $5\frac{1}{4}$	6.00	8120	$\frac{1}{2}$ x $1\frac{3}{4}$	2.00
8005	$\frac{3}{4}$ x $4\frac{3}{4}$	5.50	8123	$\frac{3}{4}$ x $1\frac{1}{2}$	1.75
8006	$\frac{3}{4}$ x $4\frac{1}{4}$	4.75	8124	$1\frac{1}{8}$ x 2	3.75
8007	$\frac{3}{4}$ x $1\frac{1}{4}$	2.00	8125	$1\frac{3}{8}$ x $2\frac{1}{4}$	5.00
8008	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	8131	$\frac{3}{4}$ x $1\frac{1}{4}$	1.50
8009	$\frac{3}{4}$ x $3\frac{3}{4}$	4.00	8132	$\frac{1}{8}$ x $\frac{3}{4}$	1.00
8010	$\frac{3}{4}$ x $2\frac{3}{4}$	3.00	8139	$\frac{1}{8}$ x $\frac{3}{4}$.80
8011	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	8140	$\frac{3}{8}$ x $\frac{3}{4}$.80
8012	$\frac{3}{4}$ x $4\frac{1}{4}$	4.75	8141	$\frac{1}{8}$ x $1\frac{1}{2}$	1.25
8018	$\frac{3}{4}$ x $4\frac{3}{4}$	5.50	8142	$\frac{1}{8}$ x $1\frac{3}{4}$	1.75
8014	$\frac{3}{4}$ x $3\frac{1}{4}$	3.50	8145	$\frac{3}{8}$ x $\frac{3}{4}$.80
8015	$\frac{3}{4}$ x 1	1.25	8146	$\frac{1}{8}$ x $\frac{3}{4}$	1.00
8016	$\frac{3}{4}$ x $1\frac{1}{4}$	2.00	8161	$\frac{3}{8}$ x 1	1.25
8017	$\frac{3}{4}$ x $1\frac{1}{4}$	1.75	8167	$\frac{3}{8}$ x $1\frac{1}{4}$	1.50
8018	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	8174	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
8019	$\frac{3}{4}$ x $2\frac{3}{4}$	3.00	8177	$\frac{3}{4}$ x 2	2.25
8020	$\frac{3}{4}$ x $3\frac{1}{4}$	3.50	8178	$\frac{1}{8}$ x 2	2.25
8021	$\frac{3}{4}$ x $4\frac{1}{4}$	4.75	8180	$\frac{3}{4}$ x $2\frac{1}{4}$	2.75
8023	$\frac{3}{4}$ x $3\frac{3}{4}$	4.00	8221	$\frac{3}{4}$ x $2\frac{3}{4}$	2.75
8024	$\frac{3}{4}$ x $1\frac{1}{4}$	2.00	8238	$1\frac{1}{8}$ x $1\frac{3}{4}$	5.00
8025	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	8242	$\frac{3}{4}$ x $1\frac{3}{4}$	2.25
8026	$\frac{3}{4}$ x $2\frac{3}{4}$	3.00	8256	$1\frac{1}{8}$ x $1\frac{1}{4}$	3.30
8029	$\frac{3}{4}$ x $3\frac{1}{4}$	3.50	8258	$\frac{3}{4}$ x $2\frac{3}{4}$	3.25
8030	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50	8263	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
8031	$\frac{3}{4}$ x $1\frac{1}{4}$	2.00	8264	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
8032	$\frac{3}{4}$ x 2	2.25	8265	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00
8033	$\frac{3}{4}$ x $2\frac{1}{4}$	3.00	8267	$1\frac{1}{8}$ x $3\frac{3}{4}$	6.60
8035	$\frac{3}{4}$ x $\frac{3}{4}$	1.00	8269 $\frac{1}{2}$	$1\frac{1}{8}$ x $4\frac{1}{4}$	7.85
8036	$\frac{3}{4}$ x $1\frac{1}{4}$	1.50	8269	$1\frac{1}{8}$ x $3\frac{3}{4}$	5.80
8037	$1\frac{1}{8}$ x $1\frac{1}{4}$	2.90	8271	$\frac{3}{4}$ x $1\frac{1}{4}$	2.00
8038	$1\frac{1}{8}$ x $1\frac{1}{4}$	3.30	8273	$\frac{3}{4}$ x $2\frac{1}{4}$	2.50
8042	$\frac{5}{8}$ x $\frac{3}{4}$	1.00	8278	$\frac{5}{8}$ x $3\frac{3}{4}$	4.00
8046	$1\frac{1}{8}$ x $1\frac{1}{4}$	3.30	8280	$\frac{1}{8}$ x $1\frac{1}{4}$.85
8048	$1\frac{1}{4}$ x 2	6.20	8281	$\frac{1}{8}$ x $1\frac{1}{4}$	1.00
8051	1 x 1	2.25	8282	$\frac{1}{8}$ x $1\frac{1}{4}$	1.40
8059	$\frac{1}{2}$ x $\frac{3}{4}$	1.00	8283	$1\frac{1}{8}$ x $1\frac{1}{4}$	3.30
8060	$\frac{3}{4}$ x $1\frac{1}{4}$	1.00	8284	$1\frac{1}{8}$ x 2	3.75
8061	$\frac{3}{4}$ x $1\frac{1}{4}$	1.25	8285	$1\frac{1}{8}$ x $2\frac{1}{4}$	4.55
8063	$\frac{1}{2}$ x $\frac{1}{2}$	1.00	8286	$1\frac{1}{8}$ x 3	5.40
8064	$\frac{3}{4}$ x $\frac{3}{4}$	1.00	8287	$1\frac{1}{8}$ x $3\frac{1}{4}$	6.20
8065	$\frac{3}{4}$ x $\frac{3}{4}$	1.00	8289	$\frac{3}{4}$ x $4\frac{1}{4}$	5.00
8067	$\frac{3}{4}$ x $1\frac{3}{4}$	1.75	8290	$\frac{3}{4}$ x $4\frac{1}{4}$	6.00
8075	$\frac{1}{2}$ x $\frac{1}{8}$	1.00	8308	$\frac{3}{4}$ x $3\frac{3}{4}$	4.20
8076	$\frac{1}{8}$ x $\frac{5}{8}$	1.00	8309	$\frac{3}{4}$ x $4\frac{1}{4}$	5.00
8077	$\frac{3}{8}$ x $\frac{1}{8}$	1.00	8310	$\frac{3}{4}$ x $4\frac{3}{4}$	6.00
8078	$\frac{1}{2}$ x 1	1.25	8311	$\frac{3}{4}$ x $5\frac{1}{4}$	6.00
8079	$\frac{3}{4}$ x $1\frac{1}{4}$	1.50	8341	$\frac{3}{4}$ x $4\frac{1}{4}$	5.00
8080	$\frac{3}{4}$ x $1\frac{3}{4}$	2.00	8342	$\frac{3}{4}$ x $4\frac{3}{4}$	6.00
8082	$\frac{3}{8}$ x $\frac{7}{8}$	1.00	8358	$\frac{3}{4}$ x $3\frac{3}{4}$	4.20
8083	$\frac{3}{8}$ x $1\frac{1}{8}$	1.00	8359	$\frac{3}{4}$ x $4\frac{1}{4}$	5.00
8084	$\frac{3}{8}$ x $1\frac{1}{8}$	1.10	8368	$1\frac{1}{8}$ x $1\frac{1}{8}$	3.15
8085	$\frac{3}{8}$ x $1\frac{1}{8}$	1.40	8374	$1\frac{1}{8}$ x $1\frac{1}{8}$	2.35
8086	$\frac{3}{8}$ x $1\frac{1}{8}$	1.60	8378	$1\frac{1}{8}$ x $1\frac{1}{8}$	2.35
8089	$\frac{1}{2}$ x $1\frac{1}{8}$	1.25	8384	$\frac{3}{4}$ x $4\frac{1}{4}$	5.00
8090	$\frac{1}{2}$ x $1\frac{1}{8}$	2.00	8385	$\frac{3}{4}$ x $5\frac{1}{4}$	6.00
8091	$\frac{1}{2}$ x $1\frac{1}{8}$	2.25	8386	$\frac{3}{4}$ x $7\frac{1}{4}$	8.00
8093	$\frac{1}{2}$ x $2\frac{1}{4}$	2.50	8387	$1\frac{1}{8}$ x $1\frac{1}{8}$	3.15
8094	$\frac{1}{2}$ x $1\frac{1}{4}$	2.25	8389	$1\frac{1}{8}$ x $1\frac{1}{4}$	3.55
8095	$\frac{1}{2}$ x $1\frac{1}{8}$	2.00	8393	$1\frac{1}{8}$ x $2\frac{1}{4}$	5.50
8096	$\frac{1}{2}$ x $1\frac{1}{8}$	1.50	8394	$\frac{3}{4}$ x $4\frac{3}{4}$	5.50
8097	$\frac{1}{2}$ x $1\frac{1}{4}$	1.25	8395	$\frac{1}{8}$ x $1\frac{1}{4}$	1.10
8098	$\frac{1}{2}$ x $1\frac{1}{8}$	1.50	8396	$1\frac{1}{8}$ x $2\frac{1}{4}$	4.15
8115	$\frac{1}{2}$ x $1\frac{1}{8}$	2.00	8397	$\frac{3}{4}$ x 5	6.00
8116	$\frac{1}{2}$ x $1\frac{1}{4}$	1.50	8398	$\frac{3}{4}$ x $1\frac{1}{4}$	1.10

(Continued on next page.)

LIST PRICE OF MOULDINGS


Prices Quoted are for 100 Lineal Feet of Moulding.

No.	Size	Price	No.	Size	Price
8399	1 1/2 x 2 1/2	\$5.50	8629	3/4 x 2 1/4	\$2.50
8400	1 1/2 x 5	9.10	8635	3/4 x 2 1/2	2.75
8401	1 1/2 x 2 3/4	5.50	8636	3/4 x 3 1/2	4.00
8403	1 1/8 x 1 1/4	1.20	8638	1 1/4 x 5 1/4	9.90
8403	1 1/8 x 1 1/4	1.20	8640	3/4 x 3 3/4	4.20
8404	3/4 x 3/4	3.35	8641	3/4 x 3 3/4	4.20
8410	1 1/2 x 2 3/4	5.00	8642	3/4 x 3 3/4	4.20
8413	3/4 x 3/4	4.25	8643	3/4 x 3 3/4	4.20
8414	3/4 x 2 3/4	3.25	8655	1 1/8 x 1 1/4	2.00
8415	3/4 x 7 1/4	8.00	8656	3/4 x 2 1/4	2.50
8420	3/4 x 2 1/4	2.75	8657	3/4 x 2 1/4	2.50
8421	3/4 x 7 1/4	8.00	8658	3/4 x 2 1/4	3.00
8422	1/2 x 1/2	1.00	8659	3/4 x 3 1/2	3.75
8424	3/4 x 7 1/4	8.00	8660	3/4 x 2 1/4	3.00
8426	3/4 x 7 1/4	8.00	8665	3/4 x 3 1/2	3.75
8427	3/4 x 3/4	1.00	8667	3/4 x 2 1/4	2.50
8430	3/4 x 1 1/2	1.50	8669	3/4 x 3 1/4	3.50
8432	1/2 x 3/4	1.00	8695	1 1/4 x 3 1/4	7.00
8439	1 1/2 x 4	12.40	8696	1 1/4 x 2 1/2	7.60
8440	3/4 x 5 1/4	6.50	8700	3/4 x 3 3/4	4.00
8441	1 1/2 x 2	3.75	8705	3/4 x 4 1/4	5.00
8443	3/4 x 4 1/4	4.75	8706	3/4 x 4 1/4	5.00
8444	3/4 x 4 1/4	4.75	8707	3/4 x 4 1/4	6.00
8446	3/4 x 2 3/4	8711	3/4 x 3 3/4	4.20
8520	3/4 x 2	2.25	8712	3/4 x 3 3/4	4.20
8530	3/4 x 3/4	1.00	8718	1 1/4 x 1 1/4	2.35
8531	3/4 x 1	1.25	8716	3/4 x 5 1/2	6.50
8532	3/4 x 2	2.25	8721	1 1/4 x 2	4.50
8535	3/4 x 3/4	1.00	8722	1 1/4 x 5	9.10
8540	1/2 x 1 1/4	1.25	8740	3/4 x 1 1/4	2.25
8541	1/2 x 1 1/4	1.50	8741	3/4 x 5 1/2	6.50
8542	1/2 x 1 1/4	2.00	8790	3/4 x 7 1/4	8.00
8543	1/2 x 1 1/4	2.25	8828	3/4 x 7 1/4	8.00
8544	1/2 x 2 1/4	2.75	8840	1 1/4 x 4 1/4	8.25
8560	3/4 x 1/2	1.00	8850	3/4 x 2 3/4	2.75
8561	3/4 x 3/4	1.00	8851	1 1/4 x 2 1/4	6.90
8562	3/4 x 1/2	1.00	8855	3/4 x 4 3/4	5.50
8563	3/4 x 1 1/8	1.00	8860	3/4 x 5 1/8	6.00
8564	1 1/8 x 1 1/8	1.00	8862	1 1/4 x 4 1/4	5.25
8570	1/2 x 1 1/8	1.00	8865	3/4 x 4 1/4	4.75
8571	3/4 x 3/4	1.00	8875	1 1/4 x 2 1/4
8600	3/4 x 1 1/4	2.00	8876	1 1/4 x 2 3/4
8610	3/4 x 3/4	.80	8890	1 1/8 x 2 1/4	1.75
8611	3/4 x 3/4	.80	8891	1 1/8 x 1 1/4	1.00
8619	3/4 x 1/2	1.00	8900	1 1/4 x 1 1/4
8620	3/4 x 3/4	1.00	8901	1 1/4 x 1 1/4
8621	3/4 x 1 1/4	1.75	8902	1 1/4 x 1 1/4
8623	3/4 x 3 1/4	3.50	8903	1 1/4 x 1 1/4
8624	3/4 x 2 1/4	2.50	8920	1 x 1 1/2	2.90
8626	3/4 x 3	3.25	8921	1 1/4 x 2 3/4	5.00
8627	3/4 x 2 1/4	2.75	8922	3/4 x 2 1/4	2.75
8628	3/4 x 2 1/4	2.50			


Odd Moulding Orders Promptly Executed
In Any Kind of Wood Desired.

Stock designs shipped the day order is received.


BLOCKS



No. 2H12
Corner Block



No. 2H13
Corner Block




No. 2H14
Head Block



No. 2H15
Base Block



No. 2H16
Base Block



No. 2H17
Base Block


Number	Stock Sizes	Thickness	List per Hundred
No. 2H12	4 1/4, 4 1/4 and 5 1/4 x 5 1/4	1 1/4	\$ 5.00
No. 2H13	4 1/4, 4 1/4 and 5 1/4 x 5 1/4	1 1/4	6.00
No. 2H14	4 1/4, 4 1/4 and 5 1/4 x 9 1/2	1 1/2	11.00
No. 2H15	4 1/4, 4 1/4 and 5 1/4 x 10	1 1/2	11.00
No. 2H16	4 1/4, 4 1/4 and 5 1/4 x 10	1 1/2	10.00
No. 2H17	4 1/4, 4 1/4 and 5 1/4 x 10	1 1/2	10.00

Made in any wood desired.


PORCH SPINDLES



No. 2H31




No. 2H32



No. 2H33

Stock Sizes: $1\frac{3}{8} \times 1\frac{3}{8}$ —6, 8, 10, 12 in.: $1\frac{3}{4} \times 1\frac{3}{4}$ —10, 12, 14 in.


PORCH BRACKETS



No. 2H36



No. 2H37



No. 2H38

Stock Sizes: 10x12, 10x14, 12x14, 12x16, 14x16 in.

PORCH BALUSTERS



No. 2H51




No. 2H52



No. 2H53


Stock Sizes: $1\frac{3}{4} \times 1\frac{3}{4}$ —16, 18, 20, 22, 24 in.
 $2\frac{1}{4} \times 2\frac{1}{4}$ —18, 20, 24 in.
 $2\frac{3}{4} \times 2\frac{3}{4}$ —18, 20, 24 in.

BALUSTER STOCK



No. 2H61

$1\frac{5}{8} \times 1\frac{5}{8}$




No. 2H62

$1\frac{1}{8} \times 1\frac{1}{8}$

PORCH RAIL


Top Rail



No. 2H63

$1\frac{5}{8} \times 2\frac{3}{4}$


Bottom Rail



No. 2H64

$1\frac{5}{8} \times 2\frac{3}{4}$


Top Rail



No. 2H65

$1\frac{5}{8} \times 3\frac{1}{2}$

Bottom Rail



No. 2H66

$1\frac{5}{8} \times 3\frac{1}{2}$

PORCH NEWELS AND COLUMNS

Mission




No. 2H71

Colonial



No. 2H72

Stock



No. 2H73 No. 2H74

Stock
Sizes
2H71-2H72
6 x 6 - 4 - 0
8 x 8 - 4 - 0

Stock
Sizes
2H73-2H74
4 x 4 - 4 - 0
5 x 5 - 4 - 0



No. 2H81

Stock
Sizes
No. 2H81
No. 2H82
6 x 6 - 8 - 0
8 x 8 - 8 - 0
10 x 10 - 8 - 0
12 x 12 - 8 - 0
6 x 6 - 9 - 0
8 x 8 - 9 - 0
10 x 10 - 9 - 0
12 x 12 - 9 - 0



No. 2H82

Stock
Sizes
No. 2H83
4 x 4 - 8 - 0
5 x 5 - 8 - 0
4 x 4 - 9 - 0
5 x 5 - 9 - 0



No. 2H83

COMPOSITION

Capital



No. 2H91

GABLE ORNAMENTS



No. 3H12



No. 3H13



No. 3H14




No. 3H15


No. 3H12—Four feet down rafter
No. 3H13—Five feet down rafter
No. 3H14 and 3H15—Six feet down rafter.

CORNER BEADS


$1\frac{3}{8}$ or $1\frac{3}{4}$ —4 ft.



No. 3H21



No. 3H22



No. 3H23


[Sash Weights



All Sizes

Base Angles

$1\frac{3}{8}$ x $1\frac{3}{8}$ —14 in.




No. 3H32



No. 3H33


Sash Cord



1 Hank, 100 ft.

THRESHOLDS

$\frac{5}{8}$ x $3\frac{3}{4}$ —3 ft.



Packed ten to the bundle




No. 3H37
Inside




No. 3H38
Outside

FRAMES



Plain Cap

Outside Door Frame for Frame Building




Plain Cap

Window Frame for Frame Building


Our Frames are made from clear, dry Cypress

Frames for Brick or Cement Block Buildings Furnished Promptly


FRAMES




Moulded Cap
Outside Door Frame for Frame Building




Moulded Cap
Window Frame for Frame Building
INSIDE DOOR JAMS



With Stop




Rabbeted



Double Rabbeted


MISSION TRIM



Casing 3H51
 $\frac{1\frac{3}{8}}{16} \times 4\frac{1}{4}$ \$4.75



Stop 3H52
 $\frac{7}{16} \times 1\frac{3}{4}$ \$1.80



Cap Mold 3H54
 $1\frac{3}{8} \times 2\frac{5}{8}$ \$5.70

Head Casing
 3H55
 $\frac{1\frac{3}{8}}{16} \times 4\frac{3}{4}$ \$5.25

Fillet 3H56
 $\frac{3}{8} \times 1$ \$1.15




Picture Mold
 3H53
 $\frac{3}{4} \times 2\frac{1}{4}$ \$2.50



Base Mold 3H57
 $\frac{3}{4} \times 2\frac{3}{4}$ \$3.00

Base—3H58
 $\frac{1\frac{3}{8}}{16} \times 6\frac{1}{4}$ \$6.85

Base Shoe 3H59
 $\frac{3}{8} \times \frac{7}{8}$ \$1.15



Stool 3H60
 $1\frac{1}{8} \times 3\frac{3}{4}$
 \$6.60

Mold 3H62
 $\frac{9}{16} \times \frac{3}{4}$
 \$1.15

Apron 3H61
 $\frac{1\frac{3}{8}}{16} \times 3\frac{3}{4}$
 \$4.20

Above Prices are List

CAP TRIM

Cap, 8393
Casg., 8394
Fillet, 8395



No. 3H72

Cap, 8410
Casg., 8398



No. 3H73

Cap, 8410
Mold., 8413
Casg., 8397
Fillet, 8398




No. 3H74

Cap, 8401
Dentil
Casg., 8397
Fillet, 8398



No. 3H75


BEAM CEILING FINISH



Cross Beam, 3H77
4½ in. wide—5 in. Drop
List \$25.00



Wall Beam, 3H78
4 in. wide—6 in. drop
List \$16.00




Main Beam No. 3H79
5½ in. wide—5¾ in. drop
List \$30.00

PRESSED MOULDING



No. 3H82


Egg and Dart, $\frac{5}{8} \times \frac{3}{4}$ and $\frac{1}{2} \times \frac{5}{8}$



No. 3H83


Cap Mold, $\frac{7}{8} \times 2\frac{1}{2}$

PLATE RAIL



No. 3H92

Three Member, $3\frac{3}{8} \times 4$ in., K. D.



No. 3H93

Three Member, $4 \times 4\frac{1}{2}$, K. D.

SPECIAL PANEL DOORS

Veneered and Solid



No. 5H21



No. 5H22

Flat, Three-ply Laminated Panels

Made in any Wood

5H21 Carried in Stock as Follows

Sizes 1 3/4 Inches		Woods.
2 - 0 x 6 - 6	2 - 10 x 6 - 10	Solid W. P. S. & R. Veneered Y. P. Pan. Veneered Plain Oak Veneered Unselected Birch
2 - 6 x 6 - 6	2 - 6 x 7 - 0	
2 - 6 x 6 - 8	2 - 8 x 7 - 0	
2 - 8 x 6 - 8	3 - 0 x 7 - 0	

No. 5H22 Also 1 3/4 inch Doors Made to Order Promptly

SPECIAL PANEL DOORS

Veneered and Solid



No. 5H23



No. 5H24

Flat, Three-ply Laminated Panels

Made in Any Wood

5H23 Carried in Stock as Follows:

Sizes 1 3/4 inches		Woods.
2 - 0 x 6 - 6	2 - 10 x 6 - 10	Solid W. P. S. & R. Veneered Y. P. Pan. Veneered Plain Oak. Veneered Unselected Birch.
2 - 6 x 6 - 6	2 - 6 x 7 - 0	
2 - 6 x 6 - 8	2 - 8 x 7 - 0	
2 - 8 x 6 - 8	3 - 0 x 7 - 0	

No. 5H24 Also 1 3/4 inch Doors Made to Order Promptly

STOCK FRONT DOORS



No. 5H25



No. 5H26

Made in Solid White Pine, Soft Spruce, Red Cypress

Glass Size in 2-8 x 6-8 No. 5H25 23 $\frac{1}{4}$ x 24

Glass Size in 2-8 x 6-8 No. 5H26 23 $\frac{1}{4}$ x 32

Always in Stock in

2-6 x 6-6—1 $\frac{3}{8}$ 2- 8 x 7- 0—1 $\frac{3}{8}$

2-8 x 6-8—1 $\frac{3}{8}$ 3- 0 x 7- 0—1 $\frac{3}{8}$

HUTTIG MFG. CO. MUSCATINE, IOWA

STORM GOODS



SASH-DOORS

WEATHER, STRIP

See Discount Folder *for* Designs

HUTTIG MFG. CO., MUSCATINE, IOWA

R·O·O·F·I·N·G



GREEN
FLAG
BRANDS

WITH

HUTTIG's
KANT-LEAK-KLEETS



HUTTIG MFG. CO., MUSCATINE, IOWA

ROOFINGS

WITH NAILS, CAPS and CEMENT

HUTTIG'S

CONGROID

PHOENIX


TUFF-RUFF

HOO-HOO

DE LUXE SPAR,

LIFE-RUF

GILT EDGE BRANDS



HUTTIG MFG. CO., MUSCATINE, IOWA

SCREENS



WINDOW AND DOOR,

FOR DESIGNS

SEE DISCOUNT FOLDER,

FRONT DOORS



No. 5H31



No. 5H32

“A” Quality Clear Spruce

Size	Thick-ness	No. 5H31		No. 5H32	
		Glazed D. S.	Glazed Per Cut	Glazed D. S.	Glazed Per Cut
2 - 6 x 6 - 6	1 3/4	\$5.20	\$10.40	\$6.50	\$12.80
2 - 8 x 6 - 8	1 3/4	5.50	11.40	6.80	13.90
2 - 10 x 6 - 10	1 3/4	7.10	12.40	7.80	15.00
2 - 8 x 7 - 0	1 3/4	7.10	12.40	7.80	15.00
3 - 0 x 7 - 0	1 3/4	7.50	18.40	8.80	16.00


For 1 3/4 inch Thick add \$2.40 List.

For “A” Quality White Pine add 50c List.

Glass Size in 2-8 x 6-8 5H31 23 1/4 x 32.

Glass Size in 2-8 x 6-8 5H32 23 1/4 x 44.

FRONT DOORS



No. 5H33



No. 5H34

"A" Quality White Pine

Size	Thick-ness	No. 5H33		No. 5H34	
		Glazed D. S.	Glazed Per Cut	Glazed D. S.	Glazed Bevel Plate
2 - 6 x 6 - 6	1 3/4	\$6.40	\$7.20	\$6.20	\$13.00
2 - 8 x 6 - 8	1 3/4	6.80	7.40	6.60	14.00
2 - 10 x 6 - 10	1 3/4	7.80	8.40	7.60	16.40
2 - 8 x 7 - 0	1 3/4	8.00	8.60	7.70	16.80
3 - 0 x 7 - 0	1 3/4	8.60	9.20	8.30	18.00

For 1 3/4 inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H33 23 1/4 x 34.

Glass Size in 2-8 x 6-8 No. 5H34 23 1/4 x 40.

FRONT DOORS



No. 5H35

“A” Quality White Pine

Stiles and Rails

Flat, Laminated Y. P. Panels



No. 5H36

“A” Quality White Pine

Raised Panels

Size	Thick- ness.	No. 5H35			No. 5H36		
		Glazed D. S.	Glazed Sand Blast	Glazed Bevel Plate	Glazed D. S.	Glazed Sand Blast	Glazed Bevel Plate
2- 6 x 6- 6	1 ½	\$5.00	\$5.50	\$10.00	\$7.60	\$8.00	\$12.00
2- 8 x 6- 8	1 ½	5.50	6.00	11.50	8.00	8.40	12.60
2-10 x 6-10	1 ½	6.40	6.90	13.00	9.40	9.80	14.20
2- 8 x 7- 0	1 ½	6.60	7.10	13.20	9.60	10.00	14.80
3- 0 x 7- 0	1 ½	7.00	7.50	15.00	10.00	10.40	16.40

For 1 ¼ inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H35 23 ¼ x 32.

Glass Size in 2-8 x 6-8 No. 5H36 23 ¼ x 28.

FRONT DOORS



No. 5H37



No. 5H38

"A" Quality White Pine

Size	Thick-ness	No. 5H37			No. 5H38		
		Glazed Plain D. S.	Glazed Sand Blast	Glazed Bevel Plate	Glazed Plain D. S.	Glazed Sand Blast	Glazed Bevel Plate
2- 6 x 6- 6	1 3/4	\$6.80	\$8.00	\$13.40	\$7.40	\$7.60	\$12.50
2- 8 x 6- 8	1 3/4	7.00	8.40	14.80	7.80	8.00	13.10
2-10 x 6-10	1 3/4	7.80	9.00	17.00	9.00	9.40	14.70
2- 8 x 7- 0	1 3/4	8.60	9.40	17.40	9.40	9.60	15.30
3- 0 x 7- 0	1 3/4	9.00	10.00	18.80	10.00	10.20	16.90

For 1 3/4 inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H37 23 3/4 x 44.

Glass Size in 2-8 x 6-8 No. 5H38 23 3/4 x 30.

FRONT DOORS



No. 5H39



No. 5H50

“A”_Quality White_Pine

Size	Thick- ness	No. 5H39			No. 5H50		
		Glazed D. S.	# Glazed Per Cut	Glazed Bevel Plate	Glazed D. S.	Glazed Sand Blast	Glazed Per Cut
2- 6 x 6- 6	1 3/8	\$7.60	\$8.00	\$12.00	\$8.60	\$10.60	\$12.50
2- 8 x 6- 8	1 3/8	8.00	8.20	12.60	9.00	12.20	13.50
2-10 x 6-10	1 3/8	9.40	9.60	14.20	9.80	13.60	15.00
2- 8 x 7- 0	1 3/8	9.60	10.00	14.80	10.20	14.00	15.50
3- 0 x 7- 0	1 3/8	10.00	10.40	16.40	10.80	14.20	17.50

For 1 1/4 inch Thick add \$2.40 List

Glass Size in 2-8 x 6-8 No. 5H39 23 1/4 x 28.

Glass Size in 2-8 x 6-8 No. 5H50 20 x 32.

FRONT DOORS



No. 5H51



No. 5H52

“A” Quality Clear Spruce

Size	Thick- ness	No. 5H51		No. 5H52	
		Glazed D. S.	Glazed Bevel Plate	Glazed D. S.	Glazed Sand Blast
2 - 6 x 6 - 6	1 ¾	\$5.80	\$14.50	\$9.60	\$11.20
2 - 8 x 6 - 8	1 ¾	6.80	16.00	10.00	11.50
2 - 10 x 6 - 10	1 ¾	7.30	17.50	10.80	12.00
2 - 8 x 7 - 0	1 ¾	7.60	19.50	11.00	12.20
3 - 0 x 7 - 0	1 ¾	8.30	21.00	12.00	13.50

For 1 ¾ inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H51 22 x 58.

Glass Size in 2-8 x 6-8 No. 5H52 16 x 52.

For No. 1 White Pine add 50c List.

FRONT DOORS



No. 5H53



No. 5H54

“A” Quality Clear Spruce

Size	Thick- ness	No. 5H53		No. 5H54	
		Glazed D. S.	Glazed Bevel Plate	Glazed D. S.	Glazed Bevel Plate
2 - 6 x 6 - 6	1 ¾	\$7.30	\$17.00	\$10.80	\$16.50
2 - 8 x 6 - 8	1 ¾	7.80	18.00	11.20	18.20
2 - 10 x 6 - 10	1 ¾	8.80	19.00	12.00	19.80
2 - 8 x 7 - 0	1 ¾	9.10	21.00	12.20	20.00
3 - 0 x 7 - 0	1 ¾	10.00	23.00	13.20	23.00

For 1 ¾ inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H53 22 x 58.

Glass Size in 2-8 x 6-8 No. 5H54 16 x 52.

For No. 1 White Pine add 50c List.

FRONT DOORS



No. 5H55



No. 5H56

"A" Quality

White Pine Stiles and Rails
Laminated Yellow Pine Panels

Size	Thick- ness	No. 5H55		No. 5H56	
		Glazed D. S.	Glazed Bevel Plate	Glazed D. S.	Glazed Bevel Plate
2 - 6 x 6 - 6	1 ½	\$6.30	\$14.00	\$10.00	\$16.00
2 - 8 x 6 - 8	1 ½	6.50	14.50	10.50	16.50
2 - 10 x 6 - 10	1 ½	7.20	16.40	11.50	18.00
2 - 8 x 7 - 0	1 ½	7.50	16.80	11.80	18.40
3 - 0 x 7 - 0	1 ½	8.00	18.00	13.00	20.00

For 1 ¼ inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H55 23 ¼ x 40.

Glass Size in 2-8 x 6-8 No. 5H56 7 ¼ x 13.

FRONT DOORS



No. 5H57



No. 5H58

“A” Quality

White Pine Stiles and Rails

Laminated Yellow Pine Panels

Size	Thick- ness	No. 5H57		No. 5H58	
		Glazed D. S.	Glazed Bevel Plate	Glazed Per Cut	Glazed One Light Bevel Plate
2 - 6 x 6 - 6	1 ¾	\$7.00	\$10.00	\$14.20	\$9.50
2 - 8 x 6 - 8	1 ¾	7.50	10.50	15.00	10.00
2 - 10 x 6 - 10	1 ¾	7.80	11.50	17.00	11.70
2 - 8 x 7 - 0	1 ¾	8.00	12.00	17.40	12.00
3 - 0 x 7 - 0	1 ¾	8.50	13.00	19.00	14.00

For 1 ¾ inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H57 6 ¾ x 20.

Glass Size in 2-8 x 6-8 No. 5H58 22 x 20.

FRONT DOORS



No. 5H59



No. 5H60

“A” Quality

White Pine Stiles and Rails

Laminated Yellow Pine Panels

Size	Thick- ness	No. 5H59		No. 5H60	
		Glazed D. S.	Glazed Bevel Plate	Glazed Bevel Plate	Glazed Per Cut
2 - 6 x 6 - 6	1 3/4	\$8.00	\$11.80	\$10.00	\$12.50
2 - 8 x 6 - 8	1 3/4	8.50	12.50	10.50	13.00
2 - 10 x 6 - 10	1 3/4	9.00	13.20	12.00	14.50
2 - 8 x 7 - 0	1 3/4	9.40	13.60	12.40	14.90
3 - 0 x 7 - 0	1 3/4	10.50	15.50	14.00	16.00

For 1 3/4 inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H59 7 x 9 3/4.

Glass Size in 2-8 x 6-8 No. 5H60 22 x 20.

FRONT DOORS



No. 5H61



No. 5H62

"A" Quality

White Pine Stiles and Rails
Laminated Yellow Pine Panels

Size	Thick- ness	No. 5H61		No. 5H62	
		Glazed D. S.	Glazed Bevel Plate	Glazed D. S.	Glazed Per Cut
2 - 6 x 6 - 6	1 3/4	\$13.00	\$19.50	7.00	\$12.50
2 - 8 x 6 - 8	1 3/4	13.50	20.00	7.50	13.00
2 - 10 x 6 - 10	1 3/4	13.80	21.00	8.00	14.50
2 - 8 x 7 - 0	1 3/4	14.00	21.50	8.40	15.00
3 - 0 x 7 - 0	1 3/4	15.00	23.00	9.00	16.00

For 1 3/4 inch Thick add \$2.40 List.

Glass Size in 2-8 x 6-8 No. 5H61 22 x 20.

Glass Size in 2-8 x 6-8 No. 5H62 22 x 20.

FRONT DOORS



No. 5H80



No. 5H81

White Pine Veneered Red Oak


Size	Thick- ness	No. 5H80		No. 5H81	
		White Pine Glazed Bevel Plate	Veneered Oak Glazed Bevel Plate	White Pine Glazed Bevel Plate	Veneered Oak Glazed Bevel Plate
2 - 8 x 6 - 8	1 3/4	\$20.40	\$21.00	\$20.50	\$23.00
2 - 10 x 6 - 10	1 3/4	21.60	22.00	22.50	24.60
2 - 8 x 7 - 0	1 3/4	22.00	22.40	23.00	25.00
3 - 0 x 7 - 0	1 3/4	24.40	25.00	24.00	26.00

For Quartered Red Oak add to plain Oak \$2.50 List.

Glass Size in 2-8 x 6-8 No. 5H80 18 x 54.

Glass Size in 2-8 x 6-8 No. 5H81 16 x 52.

FRONT DOORS



No. 5H82



No. 5H83

White Pine
Veneered Red Oak

Size	Thick- ness	No. 5H82		No. 5H83	
		White Pine Glazed Beveled Plate	Veneered Oak Glazed Beveled Plate	White Pine Glazed Beveled Plate	Veneered Oak Glazed Beveled Plate
2 - 8 x 6 - 8	1 3/4	\$19.50	\$20.00	\$23.00	\$25.00
2 - 10 x 6 - 10	1 3/4	20.00	22.00	25.00	27.00
2 - 8 x 7 - 0	1 3/4	20.40	22.50	25.40	27.40
3 - 0 x 7 - 0	1 3/4	23.00	24.00	27.00	28.50

For Quartered Red Oak add to Plain Oak \$2.50 List.

Glass Size in 2-8 x 6-8 No. 5H82 16 x 52.

Glass Size in 2-8 x 6-8 No. 5H83 16 x 52.

FRONT DOORS



No. 5H84



No. 5H85

White Pine Veneered Red Oak

Size	Thick- ness	No. 5H84		No. 5H85	
		White Pine Glazed Bevel Plate	Veneered Oak Glazed Bevel Plate	White Pine Glazed Bevel Plate	Veneered Oak Glazed Bevel Plate
2 - 8 x 6 - 8	1 3/4	\$16.60	\$19.50	\$17.00	\$21.00
2 - 10 x 6 - 10	1 3/4	18.70	21.00	19.20	23.00
2 - 8 x 7 - 0	1 3/4	19.10	21.40	19.60	24.00
3 - 0 x 7 - 0	1 3/4	20.40	23.50	21.00	25.00

Unselected Birch same price as Plain Oak.

For Quartered Red Oak add to Plain Oak \$2.50 List.

Glass Size in 2-8 x 6-8 No. 5H84 18 x 44.

Glass Size in 2-8 x 6-8 No. 5H85 16 x 42.

FRONT DOORS



No. 5H86



No. 5H87

Veneered Red Oak

Size	Thick- ness	No. 5H86		No. 5H87	
		Glazed Six or Nine Lights B. P.	Glazed Copper Art Per Cut	Glazed Six or Nine Lights B. P.	Glazed Copper Art Per Cut
2 - 8 x 6 - 8	1 3/4	\$19.00	\$20.00	\$20.00	\$21.00
2 - 10 x 6 - 10	1 3/4	21.00	22.00	22.00	23.00
2 - 8 x 7 - 0	1 3/4	21.50	22.00	22.50	23.00
3 - 0 x 7 - 0	1 3/4	24.00	25.00	25.00	26.00

Unselected Birch same price as Plain Oak.

For Quartered Red Oak add to plain Oak \$2.50 List.

Glass Size in 2-8 x 6-8 No. 5H86 and 5H87, Glazed one light 20 x 26.

SLAB AND INLAID DOORS



No. 6H12



No. 6H13

Size	Thick-ness	No. 6H12			
		Yellow Pine	Plain Birch	Plain Red Oak	Quartered Red Oak
2 - 6 x 6 - 6	1 ¾	\$11.50	\$11.50	\$12.80	\$15.00
2 - 8 x 6 - 8	1 ¾	12.00	12.00	13.50	16.00
2 - 10 x 6 - 10	1 ¾	12.50	12.50	14.00	17.00
2 - 8 x 7 - 0	1 ¾	13.00	13.00	14.50	17.50
3 - 0 x 7 - 0	1 ¾	14.00	14.00	15.00	18.00


For Inlay Door No. 6H13 add to above prices \$1.50 per side List.

Shellac inlay strips before applying Stain, to preserve natural color.

SLAB FRONT DOORS



No. 6H21



No. 6H22

Glass Size, Each Light 2-8 x 6-8 No. 6H21 6 x 6 inches.


Glass Size, Each Light 2-8 x 6-8 No. 6H22 10 x 10 inches.

Size	Thickness	No. 6H21	No. 6H22
		Veneered Plain Oak Glazed B. P.	Veneered Plain Red Oak Glazed B. P.
2 - 6 x 6 - 6	1 3/4	\$23.60	\$20.60
2 - 8 x 6 - 8	1 3/4	24.00	21.50
2 - 10 x 6 - 10	1 3/4	25.50	23.50
2 - 8 x 7 - 0	1 3/4	26.00	24.00
3 - 0 x 7 - 0	1 3/4	27.00	24.50

Veneered Plain Birch same price as Plain Oak.

For Quartered Red Oak add to Plain Oak \$2.50 List.

SLAB FRONT DOORS



No. 6H23



No. 6H24

Glass Size, Each Light 2-8 x 6-8 No. 6H23 4 $\frac{3}{4}$ x 24 inches.

Glass Size, Each Light 2-8 x 6-8 No. 6H24 6 x 12 inches.

Size	Thickness	No. 6H23	No. 6H24
		Veneered Plain Red Oak Glazed B. P.	Veneered Plain Red Oak Glazed B. P.
2 - 6 x 6 - 6	1 $\frac{3}{4}$	\$24.00	\$20.00
2 - 8 x 6 - 8	1 $\frac{3}{4}$	25.00	21.00
2 - 10 x 6 - 10	1 $\frac{3}{4}$	27.00	23.00
2 - 8 x 7 - 0	1 $\frac{3}{4}$	28.00	23.50
3 - 0 x 7 - 0	1 $\frac{3}{4}$	30.00	24.00

Veneered Plain Birch same price as Plain Oak.

For Quartered Red Oak add to plain Oak \$2.50 List.

SLAB FRONT DOORS



No. 6H25



No. 6H26

Glass Size 2-8 x 6-8 No. 6H25 22 x 22 inches.

Glass Size 2-8 x 6-8 No. 6H26 20 x 32 inches.

Size	Thickness	No. 6H25	No. 6H26
		Veneered Plain Red Oak Glazed B. P.	Veneered Plain Red Oak Glazed B. P.
2 - 6 x 6 - 6	1 3/4	\$19.00	\$26.00
2 - 8 x 6 - 8	1 3/4	20 00	28 60
2 - 10 x 6 - 10	1 3/4	23 00	31 30
2 - 8 x 7 - 0	1 3/4	23 50	34 00
3 - 0 x 7 - 0	1 3/4	24.00	37.00

Veneered Plain Birch same price as Plain Oak.

For Quartered Red Oak add to Plain Oak \$2.50 List.

SLAB FRONT DOORS



No. 6H27



No. 6H28

Glass Size, each light, 2-8 x 6-8, No. 6H27 4 x 30.

Glass Size, each light, 2-8 x 6-8, No. 6H28, side 6 x 16, center 6 x 24.

Size	Thickness	No. 6H27	No. 6H28
		Veneered Plain Red Oak Glazed B. P.	Veneered Plain Red Oak Glazed B. P.
2 - 6 x 6 - 6	1 3/4	\$24.00	\$27.00
2 - 8 x 6 - 8	1 3/4	25.00	28.00
2 - 10 x 6 - 10	1 3/4	26.50	29.50
2 - 8 x 7 - 0	1 3/4	27.00	30.00
3 - 0 x 7 - 0	1 3/4	28.50	33.00

Veneered Plain Birch Same price as Plain Oak.

For Quartered Red Oak Add to Plain Oak \$2.50 List.

No Inlay or hinges furnished with No. 6H28. For Inlay No. 6H28 add \$2.50 List.

MIRROR DOOR



No. 6H39

First Quality, Beveled, Polished Plate Mirror.

Size	Thickness	White Pine 2 or 5 Cross Panel Back	Veneered Oak 2 or 5 Cross Panel Back
2 - 6 x 6 - 6	1 ¼	\$29.00	\$31.00
2 - 6 x 6 - 8	1 ¼	30.00	32.00
2 - 8 x 6 - 8	1 ¼	31.50	34.00
2 - 6 x 7 - 0	1 ¼	31.50	34.00
2 - 8 x 7 - 0	1 ¼	33.50	37.00
3 - 0 x 7 - 0	1 ¼	37.00	40.50

STORE DOORS



No. 6H50

“A” Quality White Pine or Veneered Red Oak

Size Opening For Pair	Size Glass Each Door	Thick- ness	White Pine		Veneered Oak	
			Glazed D. S.	Glazed Bevel Plate	Glazed D. S.	Glazed Bevel Plate
5 - 0 x 7 - 0	20 x 60	1 ¼	\$26.00	\$47.00	\$29.00	\$50.00
7 - 6	20 x 66	1 ¼	31.00	53.00	33.00	55.00
8 - 0	20 x 72	1 ¼	34.00	59.00	33.00	61.00
8 - 6	20 x 78	1 ¼	39.00	65.00	41.00	67.00
6 - 0 x 7 - 6	26 x 66	1 ¼	35.00	62.00	38.00	65.00
8 - 0	26 x 72	1 ¼	40.00	70.00	43.00	73.00
8 - 6	26 x 78	1 ¼	45.00	76.00	48.00	79.00
9 - 0	26 x 84	1 ¼	50.00	82.00	54.00	86.00

If wanted Rabbeted add \$1.00 Lst.

SIDE LIGHTS



No. 6H60



No. 6H61

Glass Size in 1-4 x 6-8 No. 6H60 12 x 44 inches.

Glass Size in 1-4 x 6-8 No. 6H61 12 x 52 inches.

Size 1 1/2	No. 6H60				No. 6H61			
	White Pine		Plain Red Oak		White Pine		Plain Red Oak	
	Glazed D. S.	Glazed Bev. Plate	Glazed D. S.	Glazed Bev. Plate	Glazed D. S.	Glazed Bev. Plate	Glazed D. S.	Glazed Bev. Plate
1-2 x 6-8	\$5.00	\$ 8.00	\$8.00	\$11.00	\$6.50	\$9.50	\$8.50	\$11.50
1-4 x 6-8	5.50	8.50	8.50	12.00	7.50	10.50	9.50	12.50
1-6 x 6-8	6.00	9.50	9.00	13.00	9.00	12.00	11.00	14.50
1-2 x 7-0	5.50	8.50	8.50	11.50	7.00	10.50	9.00	12.50
1-4 x 7-0	6.00	9.00	9.00	12.50	7.50	11.50	9.50	13.00
1-6 x 7-0	6.50	10.50	9.50	14.00	8.00	14.00	10.00	15.50

For 1 3/4 inch Thick in White Pine add \$1.50 List.

1 3/4 or 1 1/2 inch Thick in Veneered Oak same price.

COTTAGE

Window or Sash



No. 7H12

Transom Glass Sand Blast

Size of Opening	Thick- ness	Bottom Light	Top Light	Glazed Per Cut Bottom D. S.
3 - 8 x 5 - 2	1 ¾	40 x 40	40 x 16	\$7.20
5 - 6	1 ¾	40 x 44	40 x 16	7.60
5 - 10	1 ¾	40 x 48	40 x 16	7.80
6 - 2	1 ¾	40 x 52	40 x 16	9.20
4 - 0 x 5 - 2	1 ¾	44 x 40	44 x 16	8.00
5 - 6	1 ¾	44 x 44	44 x 16	9.00
5 - 10	1 ¾	44 x 48	44 x 16	10.00
6 - 2	1 ¾	44 x 52	44 x 16	11.20

For 1 ¾ inch Thick add \$1.20 List.

State if Sash or Check Rail Window is wanted.

COTTAGE

Window or Sash



No. 7H13

Transom Glass Polished Beveled Plate.


Size of Opening	Thick- ness	Bottom Light	Top Light	Glazed Per Cut Bottom D. S.
3 - 8 x 5 - 2	1 3/4	40 x 40	40 x 16	\$10.00
5 - 6	1 3/4	40 x 44	40 x 16	10.80
5 - 10	1 3/4	40 x 48	40 x 16	11.00
6 - 2	1 3/4	40 x 52	40 x 16	11.40
4 - 0 x 5 - 2	1 3/4	44 x 40	44 x 16	11.30
5 - 6	1 3/4	44 x 44	44 x 16	12.10
5 - 10	1 3/4	44 x 48	44 x 16	13.40
6 - 2	1 3/4	44 x 52	44 x 16	14.40

For 1 3/4 inch Thick add \$1.20 List.

State if Sash or Check Rail Window is wanted.

COTTAGE

Window or Sash



No. 7H14

Transom Glass Double Strength, Set in Metal.


Size of Opening	Thick- ness	Bottom Light	Top Light	Glazed Per Cut Bottom D. S.
3 - 8 x 5 - 2	1 3/4	40 x 40	40 x 16	\$ 8.00
5 - 6	1 3/4	40 x 44	40 x 16	8.50
5 - 10	1 3/4	40 x 48	40 x 16	9.20
6 - 2	1 3/4	40 x 52	40 x 16	10.00
4 - 0 x 5 - 2	1 3/4	44 x 40	44 x 16	9.50
5 - 6	1 3/4	44 x 44	44 x 16	10.00
5 - 10	1 3/4	44 x 48	44 x 16	11.00
6 - 2	1 3/4	44 x 52	44 x 16	12.00

For 1 3/4 inch Thick add \$1.20 List.

State if Sash or Check Rail Window is wanted.

COTTAGE

Window or Sash



No. 7H15

Transom Glass Polished Bevel Plates, Set in Metal.


Size of Opening	Thick- ness	Bottom Light	Top Light	Glazed Per Cut Bottom D. S.
3 - 8 x 5 - 2	1 3/8	40 x 40	40 x 16	\$16.00
5 - 6	1 3/8	40 x 44	40 x 16	17.00
5 - 10	1 3/8	40 x 48	40 x 16	18.50
6 - 2	1 3/8	40 x 52	40 x 16	19.90
4 - 0 x 5 - 2	1 3/8	44 x 40	44 x 16	18.30
5 - 6	1 3/8	44 x 44	44 x 16	19.00
5 - 10	1 3/8	44 x 48	44 x 16	21.00
6 - 2	1 3/8	44 x 52	44 x 16	23.00

For 1 3/4 inch Thick add \$1.20 List.

State if Sash or Check Rail Window is wanted.

COTTAGE

Window or Sash



No. 7H16

Transom Glass Polished Beveled Plates.

Set in Metal.


Size of Opening	Thick- ness	Bottom Light	Top Light	Glazed Per Cut Bottom D. S.
3 - 8 x 5 - 2	1 ¾	40 x 40	40 x 16	\$16.80
5 - 6	1 ¾	40 x 44	40 x 16	18.00
5 - 10	1 ¾	40 x 48	40 x 16	18.30
6 - 2	1 ¾	40 x 52	40 x 16	18.80
4 - 0 x 5 - 2	1 ¾	44 x 40	44 x 16	19.20
5 - 6	1 ¾	44 x 44	44 x 16	20.00
5 - 10	1 ¾	44 x 48	44 x 16	21.40
6 - 2	1 ¾	44 x 52	44 x 16	22.50

For 1 ¾ inch Thick add \$1.20 List.

State if Sash or Check Rail window is wanted.

COTTAGE

Window or Sash



No. 7H17

Transom Glass Assorted Colored Art set in metal

Size of Opening	Thick- ness	Bottom Light	Top Light	Glazed Per Cut Bottom D. S.
3 - 8 x 5 - 2	1 3/4	40 x 40	40 x 16	\$11.20
5 - 6	1 3/4	40 x 44	40 x 16	11.40
5 - 10	1 3/4	40 x 48	40 x 16	11.60
6 - 2	1 3/4	40 x 52	40 x 16	13.00
4 - 0 x 5 - 2	1 3/4	44 x 40	44 x 16	12.60
5 - 6	1 3/4	44 x 44	44 x 16	13.20
5 - 10	1 3/4	44 x 48	44 x 16	14.80
6 - 2	1 3/4	44 x 52	44 x 16	16.00

For 1 3/4 inch Thick add \$1.20 List.

State if Sash or Check Rail Window is wanted.

STAIR

Newels



No. 7H31



No. 7H32




No. 7H33

Eighteen inch Base

Design	Size	Yellow Pine	Plain Red Oak
No. 7H31	6" x 6" — 4 ft.	\$5.40	\$6.00
No. 7H32	6" x 6" — 4 ft.	6.60	7.20
No. 7H33	6" x 6" — 4 ft.	8.00	9.00

STAIR

Newels



No. 7H34

No. 7H35

No. 7H36

Design	Size	Yellow Pine	Plain Red Oak
No. 7H34 (plain)	6" x 6"—4 ft.	\$5.60	\$6.00
No. 7H35	6" x 6"—4 ft.	5.60	6.00
No. 7H36	6" x 6"—4 ft.	7.00	8.00

No. 7H34 will be shipped plain unless ordered with Inlay.

For Inlay on No. 7H34 add \$2.50 list per side.

STAIR

Angle Newels



No. 7H37




No. 7H38



No. 7H39

Design	Size	Yellow Pine	Plain Red Oak
No. 7H37	5" x 5"—5'-6"	\$4.20	\$4.80
No. 7H38	5" x 5"—5'-6"	4.00	4.60
No. 7H39	5" x 5"—5'-6"	4.00	4.60

STAIR RAIL



No. 7H51

Size 2 x 1 $\frac{3}{4}$ inches
 Per Lineal Foot Yellow Pine \$0.14
 Per Lineal Foot Plain Red Oak .18



No. 7H52

	Rail	Fillet
Per Lineal Foot Yellow Pine	\$.06	\$.02
Per Lineal Foot Plain Red Oak	.08	.03
Rail $\frac{7}{8}$ x 2 $\frac{1}{2}$ Plowed 1 $\frac{3}{4}$ in. Fillet $\frac{1}{4}$ x 1 $\frac{3}{4}$ in.		



No. 7H53

Size 3 $\frac{1}{2}$ x 1 $\frac{3}{4}$ inches
 Per Lineal Foot Yellow Pine \$.14
 Per Lineal Foot Plain Red Oak .20



No. 7H54

Size 2 $\frac{1}{2}$ x 3 $\frac{1}{2}$ inches
 Per Lineal Foot Yellow Pine \$.30
 Per Lineal Foot Plain Red Oak .36

STAIR

Balusters



No. 7H61




No. 7H62



No. 7H63

Size All 1 3/4 x 1 3/4—28 or 32 inches long

Design	Yellow Pine	Plain Red Oak
No. 7H61	\$.20	\$.22
No. 7H62	.16	.20
No. 7H63	.20	.22



Half Circle No. 7H71

Quarter Circle No. 7H72

Design	Yellow Pine	Plain Red Oak
No. 7H71 Half Circle End Tread	\$8.00	\$9.00
No. 7H72 Quarter Circle End Tread	6.00	7.00

Length Half Circle 4 feet 6 inches, Quarter Circle 3 feet 6 inches.

STAIR


Treads, Risers and Nosing



Surfaced Stock Sanded

Design	Size	Yellow Pine	Plain Red Oak
No. 7H75	1 $\frac{1}{2}$ x 11-3-6	\$.90	\$1.20
No. 7H76	1 $\frac{1}{2}$ x 8-3-6	.40	.50
No. 7H77	1 $\frac{1}{2}$ x 1 $\frac{1}{2}$ (per lin. ft.)	.04	.06

Special, Complete Stairs



Fitted at Factory but shipped K. D.
Send Your Plans and Specifications

STOCK

Colonnade



Column No.8H12

Pedestal No. 8H12½

Design	Kind	Size	Yellow Pine	Plain Red Oak
8H12	Column	6 x 6—6	\$6.00	\$7.00
8H12½	Pedestal	2 ft. x 2 ft.	7.00	8.00

For Quartered Oak add to Plain Oak 25 per cent. No Trim included.

For Composition Cap on Column add \$2.00 List.

PANELED

Colonnade



Front

No. 8H13

Back

Above shows front and back views


Price Covers Two Plain Columns and Two Pedestals as Shown

Doors Glazed	Yellow Pine	Plain Red Oak
1 Lt. Bevel Plate	\$68.00	\$78.00
Divided Square		
Lights Glazed D. S.	\$64.00	\$69.00
1 Lt. Leaded D. S.	\$64.00	\$69.00

Unless ordered otherwise Pedestals will both be furnished to face same way. No trim included.
Above Prices apply to Plain Columns. For Paneled Columns add \$6.00 List.

FLUSH VENEERED

Colonnade



Front

No. 8H14

Back

Above shows front and back views


Price Covers Two Columns and Two Pedestals

Doors Glazed	Yellow Pine	Plain Red Oak
Divided Square Lights as Shown With Bevel Plates	\$120.00	\$132.00
Same With D. S. Glass	\$108.00	\$120.00
1 Lt. Bevel Plate	\$112.00	\$124.00

Unless ordered otherwise Pedestals will both be furnished to face same way. No trim included.

INLAID

Flush Veneered Colonnade



Front

No. 8H15

Back


Above Shows Front and Back Views

Price Covers Two Columns and Two Pedestals

Doors Glazed	Yellow Pine	Plain Red Oak
Divided Square Lights as Shown		
Glazed Bevel Plates	\$150.00	\$162.00
Same with D. S. Glass	\$188.00	\$150.00
With 1 Light Bevel Plate	\$142.00	\$154.00

Unless ordered otherwise Pedestals will both be furnished to face same way. No trim included.

GRILLES



No. 8H21

Drop at sides 14 inches

4 ft. long \$10.00. 5 ft. \$12.40. 6 ft. \$15.00.



No. 8H22

Drop at sides 16 inches

4 ft. long \$10.00. 5 ft. \$12.40. 6 ft. \$15.00.



No. 8H23

Drop at sides 24 inches

4 ft. long \$12.80. 5 ft. \$16.00. 6 ft. \$19.20.



No. 8H24

4 ft. long \$14.00. 5 ft. \$17.40. 6 ft. \$21.00

Above prices for Grilles in the White. Gloss Finish 20 per cent Additional.
Prices based on Plain Red Oak or Woods of equal value.

MEDICINE CABINETS



No. 8H51

Yellow Pine **\$11.00** Plain Red Oak **\$12.00**



No. 8H25

Yellow Pine **\$17.00** Plain Red Oak **\$18.00**

Mirror is 16 x 20 Polished Bevel Plate

Price Covers Cabinet set up, no Hardware

KITCHEN CUPBOARD



No. 8H61

Width, 4 ft. Height 7 ft.

Top 12 Inches Deep. Bottom, 18 Inches Deep

Furnished Complete set up, Doors Glazed Plain D. S. No Hardware

Yellow Pine **\$55.00.** Plain Red Oak **\$60.00**

SIDEBOARD



No. 8H62

Width, 5 ft. Height, 7 ft.

Sixteen Inches Deep

Mirror Polished Bevel Plate

Furnished Complete as Shown

Doors, Glazed Leaded D. S.

No Hardware or Trim.

Yellow Pine \$80.00. Plain Red Oak \$90.00

GLOSSARY OF TRADE TERMS

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

In General

MEASUREMENTS

Outside Opening—The measurement of any given article from outside to outside. The frame opening always should be given in feet and inches.

Between Glass—The difference between the outside opening and the total glass measurement of a given window or sash.

Face Measure—The measurement of any part of an article exclusive of any solid mold or rabbet.

Finished Size—The measurement of any given part of an article over all or including the solid mold or rabbet.

Ripping Size—The size of stock necessary to produce any given finished size. Usually $\frac{1}{4}$ inch over finished size up to 5 inch cuts and $\frac{1}{2}$ inch over above.

MOLDING.

Solid Mold or Solid Stuck—A mould which is worked on the article itself.

Applied Mold—A separate mold applied or attached to any part of an article.

Flush Mold—An applied molding which finishes flush with or below the face or surface of the stiles or rails of the article.

Raised Mold—An applied molding which partly covers or which extends above the face or surface of the stiles or rails of the article.

MULLION.

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sash in a frame. Applied also to single blinds made to represent pairs.

MUNTIN

Applies to any short or light bars—either vertical or horizontal—in a sash or in a door between panels not extending the full width or length of the article.

ODD WORK.

This term applies to any article which is not listed under listed sizes, or for which a list must be formed by the application of any of the Foot Notes or Rules for Extras—unless these specifically state to the contrary.

RAIL.

The cross or horizontal pieces of the framework of a sash, door or blind.

STILES.

The upright or vertical outside pieces of a sash door or blind.

STOCK QUANTITY.

Ten or more of any given article of one kind, size and quality.

STICKING. (See Solid Mold.)

O. G.—A solid mold which is a combination of a cove and a quarter round with no fillet between. The standard sticking for doors, sash and blinds.

Cove and Bead—A solid mold which is a combination of a cove and quarter round, with a small fillet between.

Bead and Cove—A solid mold which is a combination of a quarter round and cove with a small fillet between and on each side.

Ovolo—A solid mold which is a quarter round with a small fillet on each side.

P. G.—A solid mold which is a long bevel with a small fillet on each side.

Applying to Sash or Windows

SASH.

A sash indicates a single piece to fill a given opening.

WINDOW.

A window indicates two pieces—one upper, one lower—to fill an opening arranged to slide vertically.

CASEMENT.

Applies to a sash or pair of sash made to be hung on hinges to swing.

COTTAGE.

Cottage Window—A window in which the meeting rails are placed above the center of the opening.

Cottage Sash—A sash made to correspond to a cottage window.

FRENCH WINDOW.

A pair of sash made to be hung on hinges like pair of doors—a long pair of casement sash.

FACTORY SASH OR WINDOWS.

Sash or windows divided into small lights for factory use—The term implies an inferior quality of material for paint, permitting the use of reasonable defects of any nature not weakening the sash.

FULL BOUND.

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

MEETING RAILS.

The rails of a window which meet when the window is hung and closed.

Plain Rail—Meeting rails of the same thickness as the rest of the window.

Check Rails—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame. They are usually beveled.

LUGS OR HORNS.

An extension of the stiles of a window beyond the meeting rails. They are usually molded on the inside of the stile with an O. G. Mold—(O. G. Lugs).

QUEEN ANNE.

Windows or sash divided into small lights.

SUSPENDED LIGHTS.

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the bevel joint of other bars or munts.

Applying to Doors

ASTRAGALS.

Mold—For Folding Doors—A strip of molding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.

Single—For Folding Doors—A strip the length of the doors with a cross-section, usually similar to a letter "T"—used to form a rabbet.

Double—For Sliding Doors—A pair of strips the length of the doors—rabbeted to receive the doors on the back and molded or grooved reciprocally on the face to make a tight joint.

Joint—For Sliding Doors—A molding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a tight joint.

BANDED DOORS.

Doors with a thin band or strip—usually molded—on the outside edge of the face of each stile and top and bottom rail—Also called friction strips.

GLOSSARY OF TRADE TERMS

CHAMFERED DOORS.

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.

Stop Chamfer—A chamfer stopped or ended short of the length of the piece chamfered.

DOWELED DOORS.

Doors put together with dowels instead of tenons.

DUTCH DOORS.

A door made to be cut horizontally through the lock rail, so that the upper part can be opened independently of the lower part.

FOUR-PANEL DOOR.

Unless specifically otherwise stated is understood to mean the standard listed four-panel door No. 200.

FIVE-PANEL DOOR.

Unless specifically otherwise stated is understood to mean the standard listed five-panel lock rail panel door No. 201.

PANELS.

Bevel raised panels are standard.

GRADUATED PANELS.

Doors with cross panels of different width usually graduated from a wide lower panel to a narrow top panel.

LOCK RAIL.

The center of a standard four-panel door.

Panel—The horizontal panel of a standard five-panel or similar door.

TENONS.

Through Tenoned—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

Blind Tenoned or Mortised—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

Applying to Blinds

BLIND.

Single—A single blind is one piece to fill a given opening.

Pair—A pair of blinds is two pieces to fill a given opening, made and rabbeted to fold.

Set—A set of blinds is more than two pieces for a given opening, made to fold upon each other.

STATIONARY SLAT BLINDS.

Blinds with slats mortised into or so attached to the stiles as to be fixed.

Half Stationary Blinds—Blinds with one panel or movable or rolling slats and one of stationary or fixed slats.

SHUTTERS.

Blind with solid panels instead of slat panels.

BEAD AND BUTT SHUTTERS.

Shutters with panels flush with stiles and rails on one side and with beads lengthwise of the panels, at or near the stiles on one side only.

FLUSH MOLD.

See Flush Mold under "General."

Applying to Terms and Discounts

CAR LOTS.

Quantities of millwork sold at one time for shipment at one time which aggregate the minimum weight allowed by the published railroad tariff for the given destination—usually 24,000 pounds.

LOCAL OR WAY FREIGHTS.

Terms applied to sales or shipments which for any reason take less than car lot rates of freight.

CASH DISCOUNT.

A discount allowed for payment of an invoice within a specified time from date of invoice. It does not apply to any freight or other allowance, which should always be deducted before cash discount is taken.

F. O. B. OR FREE ON BOARD.

This term indicates that the quotation or sale is made for goods on the cars at seller's shipping point without charge for loading or handling.

FREIGHT ALLOWED.

Signifies that the seller will allow the purchaser on presentation of paid freight bill, to deduct from settlement the full amount of freight paid on any given shipment from shipping point to destination. It does not guarantee the safe delivery of goods.

FREIGHT EQUALIZED.

Signifies that the seller will allow the purchaser, on presentation of paid freight bill, to deduct from the settlement an amount equal to the excess—if any—of the amount paid for freight over the sum which the buyer would have had to pay on a similar shipment from the point equalized with. It does not guarantee safe delivery of goods.

OPENINGS.

Quotations are frequently made at a specified discount for a given number of openings.

In this connection an opening is understood to mean:

One door or two Cupboard doors.

One Window.

Two Sash.

One pair of Blinds or two Single Blinds.

STOCK GOODS OR STOCK ITEMS.

Terms frequently used in quotations to indicate such listed sizes as are regularly carried in stock by the party quoting. Must not be confused with "listed sizes", which may be "stock sizes" in one locality and not in another.

INDEX

A		M	
Angle Beads	Page 38	Medicine Cabinets	Page 87
B		Mission Trim	41
Base Angles	38	Moulding, Stock	26-30
Balusters, Stair	80	" List	31-32
" Porch	34	" Pressed	43
Beam, Ceiling Finish	42	" Pressed Cap	43
Blocks	33	N	
Brackets	34	Newels, Porch	36
C		" Stair	76-78
Cap Mould, Pressed	43	O	
Cap Trim	42	Ordering Directions	1
Ceiling, Beam Finish	42	P	
Colonnades	82-85	Plate Rail	43
Columns	36	R	
Composition Capital	37	Rail, Porch	35
Corner Beads	38	" Stair	79
Cottage Windows	70-75	Risers, Stair	80-81
D		S	
Door, List, Panel	18-22	Sash, Weights	38
" " O. G. Sash	20-21	" Cord	38
" " Cupboard	21	" List	2-15
" " Store	21	" Extras	16-17
" Store Special	68	" Cottage	70-75
" Closet	22	Sideboard	89
" Extras	22-23	Side Lights	20 & 69
" Veneered Panel	44-45	Spindles	34
" " Slab	62	Stair, Newels	76-78
" Slab, Inlaid	62	" Rail	79
" Slab, Front	63-66	" Balusters	80
" Front, Glazed	46-66	" Treads	80-81
" Mirror	67	" Risers	80-81
F		T	
Frames	39-40	Thresholds	38
G		Trade Terms	90-91
Gable Ornaments	37	Treads, Stair	80-81
Glossary of Trade Terms	90	Trim, Mission	41
Grades, Official	1	Trim, Cap	42
Grilles	86	W	
J		Weights	24-25
Jambs	40	Window, List	2-15
K		" Extras	16-17
Kitchen Cupboard	87	" Cottage	70-75

